NEW AGE

IMPLANTING VALUES



Small Frafment and Large

Fragment Plate System

FDA

DRUG LICENSE INDIAN FDA

CE

CE CERTIFICATE

ISO 13485:2016 Medical Devices

ISO 13485:2016

ISO 9001:2015

ISO 9001:2015

GMP Quality

GMP QUALITY

www.newagemedisys.com

About NewAge Medisys Limited

NewAge Medisys Limited is an ISO 13485: 2016 & CE Certified manufacturer and supplier of the widest range of surgical implants including Trauma system, Spine system, Hip system and it's instruments.

We are engaged in manufacturing and exporting of orthopaedic implants with a passion to make available best quality and précised implants to surgeons & patients.

At NewAge Medisys Limited, we don't emphasize on figures, but are devoted to continuous research & development and pledged to enforce ultra modern improvements on varieties of orthopaedic implants. Each orthopaedic implant that we manufacture is made with cutting edge technology and exceptional quality standards which are clinically proven.

We take extreme pride in our experts and dedicated team that makes sure quality is never compromised.

We are equipped with the latest automated technology CNC, VMC and Swiss-Type Sliding Head machines imported from countries like South Korea and Taiwan.

Many importers from the Middle East and Latin America sell our products under their brands. This itself is a testimony to acceptances of our core competencies in quality control, product design & development, computer aided manufacturing, prototyping and packaging.

With next generation orthopaedic implants, we are deliberately becoming a leader in the medical implants market.

WHAT MAKES US EXCEPTIONAL THAN OTHERS:

- Premium Quality.
- Maintaining exceptional Quality standards.
- Manufacturing implants with cutting edge technologies.
- Constant product innovation in design inputs.
- Commitment & determination.
- Prompt delivery.
- After-sales service.
- Easy Communication.



Certification & Inspection

Certificate of Compliance

CE

We hereby declare that the technical files of all the items in each product group complies with the requirements of the Council Directive on **Medical Device Regulation - (Council Regulation 2017/745)**

Certificate No.: CE-6961

Manufacturer

Name : NEWAGE MEDISYS LIMITED

Address : PLOT NO B 1, SURVEY NO 275, GALAXY INDUSTRIAL ESTATE, BEHIND TULSI METAL, SHAPAR VERAVAL, RAJKOT, GUJARAT – 360024, INDIA

Product : DESIGN AND DEVELOPMENT OF ORTHOPAEDIC IMPLANTS & INSTRUMENTS (more detail as per Appendix I & III)

Complies with the requirements applicable to it

The quality system file has been assessed, approved and is subject to continuous surveillance according to the Council Directive on **Medical Device Regulation -(Council Regulation 2017/745)**

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced models and it does not substitute the design or type-examination procedures, if requested.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed.
3. The certificate validity is conditioned by positive results or surveillance audits.

The CE mark as shown above can be used, under the responsibility of the manufacturer, after completion of an EC Declaration of conformity and compliance with all relevant EC Directives. The statement is based on a single evaluation of one sample of above mentioned product. It does not imply an assessment of the whole production.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification	21st April 2025
1st Surveillance Audit Due	20th April 2026
2nd Surveillance Audit Due	20th April 2027
Certificate Expiry (subject to the company maintaining its system to the required standard)	20th April 2028

Authorised Signatory

Page 1 of 4

This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request.
71-75 Shelton Street, Covent Garden, London, WC2H 9JQ, United Kingdom
Website:- www.ukcertifications.org.uk, email:- info@ukcertifications.org.uk
Company No. 11847851



Certification & Inspection

Certificate of Registration

This is to certify that the
Quality Management System for Medical Devices
of

NEW AGE IMPLANTING VALUES

NEWAGE MEDISYS LIMITED

at

PLOT NO B 1, SURVEY NO 275, GALAXY INDUSTRIAL ESTATE, BEHIND TULSI METAL, SHAPAR VERAVAL, RAJKOT, GUJARAT – 360024, INDIA

has been independently assessed and is
compliant with the requirements of:

ISO 13485:2016

For the following scope of activities:

DESIGN AND DEVELOPMENT OF ORTHOPAEDIC IMPLANTS & INSTRUMENTS

Certificate Number: UQ - 2025042135

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification	21st April 2025
1st Surveillance Audit Due	20th April 2026
2nd Surveillance Audit Due	20th April 2027
Certificate Expiry	20th April 2028

Authorised Signatory

This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request.
71-75 Shelton Street, Covent Garden, London, WC2H 9JQ, United Kingdom
Website:- www.ukcertifications.org.uk, email:- info@ukcertifications.org.uk
Company No. 11847851



Certification & Inspection

Certificate of Compliance

Certificate Number: UQ - 2025042134

This is to certify that

NEW AGE IMPLANTING VALUES

NEWAGE MEDISYS LIMITED

at

PLOT NO B 1, SURVEY NO 275, GALAXY INDUSTRIAL ESTATE, BEHIND TULSI METAL, SHAPAR VERAVAL, RAJKOT, GUJARAT – 360024, INDIA

Has successfully implemented the Quality management System and been found working satisfactorily as per the norms of **"Good Manufacturing Practice"** as laid down by **"World Health Organisation"** which has been in conformance to the requirements of

WHO-GMP

SCOPE:- DESIGN AND DEVELOPMENT OF ORTHOPAEDIC IMPLANTS & INSTRUMENTS

This certificate is issued under the following conditions:

1. It applies only to the quality system maintained in the manufacture of above referenced Models Products.
2. The certificate remains valid until the manufacturing conditions or the quality systems are changed and is subject to continuous surveillance according to the WHO-GMP Guidelines
3. The certificate validity is conditioned by positive results or surveillance audits.

Validity of this certificate can be verified at www.ukcertifications.org.uk/verify

Date of Certification	21st April 2025
1st Surveillance Audit Due	20th April 2026
2nd Surveillance Audit Due	20th April 2027
Certificate Expiry	20th April 2028

Authorised Signatory

This certificate is the property of UK Certification & Inspection Limited and shall be returned immediately on request.
71-75 Shelton Street, Covent Garden, London, WC2H 9JQ, United Kingdom
Website:- www.ukcertifications.org.uk, email:- info@ukcertifications.org.uk
Company No. 11847851



सत्यमेव जयते

FORM MD-9

[See sub-rule (1) rule 25]

Licence to Manufacture for Sale or for Distribution of Class C or Class D medical device

Licence Number: MFG/MD/2020/000292

1. M/s New Age Medisys, Survey No. 275, Plot No. B/1, Galaxy Industrial Estate, B/H Tulsi Metal, Shapar (Veraval)-360024 KOTDA SANGHANI, Rajkot, Gujarat (India) - 360024 Telephone No.: 7777975631 FAX: 7777975631 has been licenced to manufacture for sale or for distribution the below listed medical device(s) at the premises situated at M/s New Age Medisys , New Age Medisys Survey, No. 275, Plot No. B/1, Galaxy Industrial Estate, B/H Tulsi Metal, Shapar (Veraval)-360024 ,Rajkot KOTDA SANGHANI -360024, Gujarat, India , Rajkot, Gujarat (India) - 360024 Telephone No.: 7777975631 FAX: 7777975631

2. Details of medical device(s) [Annexed]

3. The names, qualifications and experience of the competent technical staff responsible for the manufacture and testing of the above mentioned medical device(s): As per records maintain by the manufacturer

4. This licence is subject to the provisions of the Medical Devices Rules, 2017 and conditions prescribed therein.

ANNEXURE

S.No.	Details Of Device(s)

Page 1 of 16

Small Fragment Locking Plates System

Locking Clavicle Hook Plate 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left, Blade Height-12mm			Right, Blade Height-12mm	
4	1101.1204	2101.1204	4	1102.1204	2102.1204
5	1101.1205	2101.1205	5	1102.1205	2102.1205
6	1101.1206	2101.1206	6	1102.1206	2102.1206
7	1101.1207	2101.1207	7	1102.1207	2102.1207
	Left, Blade Height-15mm			Right, Blade Height-15mm	
4	1101.1504	2101.1504	4	1102.1504	2102.1504
5	1101.1505	2101.1505	5	1102.1505	2102.1505
6	1101.1506	2101.1506	6	1102.1506	2102.1506
7	1101.1507	2101.1507	7	1102.1507	2102.1507
	Left, Blade Height-18mm			Right, Blade Height-18mm	
4	1101.1804	2101.1804	4	1102.1804	2102.1804
5	1101.1805	2101.1805	5	1102.1805	2102.1805
6	1101.1806	2101.1806	6	1102.1806	2102.1806
7	1101.1807	2101.1807	7	1102.1807	2102.1807



Intended Use : For Internal Fixation of Clavicle Head
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1101V.1204 – 1102V.1204

Locking Clavicle Hook Plate 3.5mm (Left & Right)



Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1103.04	2103.04	4	1104.04	2104.04
5	1103.05	2103.05	5	1104.05	2104.05
6	1103.06	2103.06	6	1104.06	2104.06
7	1103.07	2103.07	7	1104.07	2104.07
8	1103.08	2103.08	8	1104.08	2104.08
9	1103.09	2103.09	9	1104.09	2104.09
10	1103.10	2103.10	10	1104.10	2104.10

Intended Use : For Internal Fixation of Clavicle Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1103V.05 – 1104V.05

Locking Superior Anterior Clavicle Plate With Lateral Extension 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1105.03	2105.03	3	1106.03	2106.03
4	1105.04	2105.04	4	1106.04	2106.04
5	1105.05	2105.05	5	1106.05	2106.05
6	1105.06	2105.06	6	1106.06	2106.06
7	1105.07	2105.07	7	1106.07	2106.07
8	1105.08	2105.08	8	1106.08	2106.08



Intended Use : For Internal Fixation of Lateral Clavicle Bone
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1104V.03 – 1105V.03

Locking (Philos) Long Head Proximal Humeral Plate 3.5mm



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
6	1112.06	2112.06
7	1112.07	2112.07
8	1112.08	2112.08
9	1112.09	2112.09
10	1112.10	2112.10
11	1112.11	2112.11
12	1112.12	2112.12
13	1112.13	2112.13
14	1112.14	2112.14

Note : Variable Angle Version Available
Reference Numbers : 1112V.06

Locking (Philos) Short Head Proximal Humeral Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
3	1113.03	2113.03
4	1113.04	2113.04
5	1113.05	2113.05



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1113V.03

Locking Proximal Humerus Plate 3.5mm



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1114.03	2114.03
4	1114.04	2114.04
5	1114.05	2114.05
6	1114.06	2114.06
7	1114.07	2114.07
8	1114.08	2114.08
9	1114.09	2114.09
10	1114.10	2114.10
11	1114.11	2114.11
12	1114.12	2114.12

Small Fragment Locking Plates System

Locking Metaphyseal Distal Medial Humerus Plate

Size (Holes)	Reference Number SS316	TIT
5	1126.05	2126.05
6	1126.06	2126.06
7	1126.07	2126.07
8	1126.08	2126.08
9	1126.09	2126.09
10	1126.10	2126.10
11	1126.11	2126.11
12	1126.12	2126.12
13	1126.13	2126.13
14	1126.14	2126.14
15	1126.15	2126.15



Intended Use : Distal Humerus Fixation
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1126V.05

Locking Dorsolateral Distal Humeral Plate With Support 2.7/3.5mm (Left & Right)



Intended Use : Distal Humerus Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1127.03	2127.03	3	1128.03	2128.03
4	1127.04	2127.04	4	1128.04	2128.04
5	1127.05	2127.05	5	1128.05	2128.05
6	1127.06	2127.06	6	1128.06	2128.06
7	1127.07	2127.07	7	1128.07	2128.07
8	1127.08	2127.08	8	1128.08	2128.08
9	1127.09	2127.09	9	1128.09	2128.09
10	1127.10	2127.10	10	1128.10	2128.10
11	1127.11	2127.11	11	1128.11	2128.11
12	1127.12	2127.12	12	1128.12	2128.12
13	1127.13	2127.13	13	1128.13	2128.13
14	1127.14	2127.14	14	1128.14	2128.14

Note : Variable Angle Version Available
Reference Numbers : 1127V.03 – 1128V.03

Locking Dorsolateral Distal Humeral Plate Without Support 2.7/3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1129.03	2129.03	3	1130.03	2130.03
4	1129.04	2129.04	4	1130.04	2130.04
5	1129.05	2129.05	5	1130.05	2130.05
6	1129.06	2129.06	6	1130.06	2130.06
7	1129.07	2129.07	7	1130.07	2130.07
8	1129.08	2129.08	8	1130.08	2130.08
9	1129.09	2129.09	9	1130.09	2130.09
10	1129.10	2129.10	10	1130.10	2130.10
11	1129.11	2129.11	11	1130.11	2130.11
12	1129.12	2129.12	12	1130.12	2130.12
13	1129.13	2129.13	13	1130.13	2130.13
14	1129.14	2129.14	14	1130.14	2130.14



Intended Use : Distal Humerus Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1129V.03 – 1130V.03

Locking Extra Articular Distal Humerus Plate 3.5mm (Left & Right)



Intended Use : Distal Humerus Fixation
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1131.04	2131.04	4	1132.04	2132.04
5	1131.05	2131.05	5	1132.05	2132.05
6	1131.06	2131.06	6	1132.06	2132.06
7	1131.07	2131.07	7	1132.07	2132.07
8	1131.08	2131.08	8	1132.08	2132.08
9	1131.09	2131.09	9	1132.09	2132.09
10	1131.10	2131.10	10	1132.10	2132.10
11	1131.11	2131.11	11	1132.11	2132.11
12	1131.12	2131.12	12	1132.12	2132.12
13	1131.13	2131.13	13	1132.13	2132.13
14	1131.14	2131.14	14	1132.14	2132.14

Note : Variable Angle Version Available
Reference Numbers : 1131V.04 – 1132V.04

Locking Distal Medial Humeral Plate 2.7/3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1133.03	2133.03	3	1134.03	2134.03
4	1133.04	2133.04	4	1134.04	2134.04
5	1133.05	2133.05	5	1134.05	2134.05
6	1133.06	2133.06	6	1134.06	2134.06
7	1133.07	2133.07	7	1134.07	2134.07
8	1133.08	2133.08	8	1134.08	2134.08
9	1133.09	2133.09	9	1134.09	2134.09
10	1133.10	2133.10	10	1134.10	2134.10
11	1133.11	2133.11	11	1134.11	2134.11
12	1133.12	2133.12	12	1134.12	2134.12
13	1133.13	2133.13	13	1134.13	2134.13
14	1133.14	2133.14	14	1134.14	2134.14



Intended Use : Distal Humerus Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1133V.04 – 1134V.04

Locking Olecranon Plate 3.5mm (Left & Right)



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1135.02	2135.02	2	1136.02	2136.02
3	1135.03	2135.03	3	1136.03	2136.03
4	1135.04	2135.04	4	1136.04	2136.04
5	1135.05	2135.05	5	1136.05	2136.05
6	1135.06	2135.06	6	1136.06	2136.06
7	1135.07	2135.07	7	1136.07	2136.07
8	1135.08	2135.08	8	1136.08	2136.08
9	1135.09	2135.09	9	1136.09	2136.09
10	1135.10	2135.10	10	1136.10	2136.10
11	1135.11	2135.11	11	1136.11	2136.11
12	1135.12	2135.12	12	1136.12	2136.12

Note : Variable Angle Version Available
Reference Numbers : 1135V.02 – 1136V.02

Small Fragment Locking Plates System

Locking T Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
3	1148.03	2148.03
4	1148.04	2148.04
5	1148.05	2148.05
6	1148.06	2148.06
7	1148.07	2148.07
8	1148.08	2148.08
9	1148.09	2148.09
10	1148.10	2148.10



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Locking T Plate Oblique Angled (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1151.02	2151.02	2	1152.02	2152.02
3	1151.03	2151.03	3	1152.03	2152.03
4	1151.04	2151.04	4	1152.04	2152.04
5	1151.05	2151.05	5	1152.05	2152.05
6	1151.06	2151.06	6	1152.06	2152.06
7	1151.07	2151.07	7	1152.07	2152.07
8	1151.08	2151.08	8	1152.08	2152.08
9	1151.09	2151.09	9	1152.09	2152.09
10	1151.10	2151.10	10	1152.10	2152.10

Locking Distal Radius Kopis Plate 2.7/3.5 mm Standard (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1153.03	2153.03	3	1154.03	2154.03
4	1153.04	2153.04	4	1154.04	2154.04
5	1153.05	2153.05	5	1154.05	2154.05
6	1153.06	2153.06	6	1154.06	2154.06
7	1153.07	2153.07	7	1154.07	2154.07
8	1153.08	2153.08	8	1154.08	2154.08



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1153V.03 – 1154V.03

Locking Distal Radius Kopis Plate 2.7/3.5mm Wide (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1155.03	2155.03	3	1156.03	2156.03
4	1155.04	2155.04	4	1156.04	2156.04
5	1155.05	2155.05	5	1156.05	2156.05
6	1155.06	2155.06	6	1156.06	2156.06
7	1155.07	2155.07	7	1156.07	2156.07
8	1155.08	2155.08	8	1156.08	2156.08

Note : Variable Angle Version Available
Reference Numbers : 1155V.03 – 1156V.03

Locking Distal Radius Variable Angle Volar Plate 2.7mmHead 6 hole (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Variable Locking Cortex Screw Star Head
Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1157.02	2157.02	2	1158.02	2158.02
3	1157.03	2157.03	3	1158.03	2158.03
4	1157.04	2157.04	4	1158.04	2158.04
5	1157.05	2157.05	5	1158.05	2158.05
6	1157.06	2157.06	6	1158.06	2158.06
7	1157.07	2157.07	7	1158.07	2158.07
8	1157.08	2157.08	8	1158.08	2158.08
9	1157.09	2157.09	9	1158.09	2158.09
10	1157.10	2157.10	10	1158.10	2158.10

Locking Distal Radius Variable Angle Volar Plate 2.7mm Head 7 hole (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Variable Locking Cortex Screw Star Head
Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1159.02	2159.02	2	1160.02	2160.02
3	1159.03	2159.03	3	1160.03	2160.03
4	1159.04	2159.04	4	1160.04	2160.04
5	1159.05	2159.05	5	1160.05	2160.05
6	1159.06	2159.06	6	1160.06	2160.06
7	1159.07	2159.07	7	1160.07	2160.07
8	1159.08	2159.08	8	1160.08	2160.08
9	1159.09	2159.09	9	1160.09	2160.09
10	1159.10	2159.10	10	1160.10	2160.10

Small Fragment Locking Plates System

Locking Proximal Radius Neck Plate 2.7mm

Size (Holes)	Reference Number SS316	TIT
2	1161.02	2161.02
3	1161.03	2161.03
4	1161.04	2161.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Locking Distal Radius Straight Plate 2.7mm

Size (Holes)	Reference Number SS316	TIT
5	1162.05	2162.05
6	1162.06	2162.06



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Locking Proximal Radius Rim Plate 2.7mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1163.02	2163.02	2	1164.02	2164.02
3	1163.03	2163.03	3	1164.03	2164.03
4	1163.04	2163.04	4	1164.04	2164.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Locking Volar Buttress Plate 2.7mm Head 5hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1165.03	2165.03	3	1166.03	2166.03
4	1165.04	2165.04	4	1166.04	2166.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1155V.03 – 1156V.03

Locking Distal Radius Extra Articaular Plate 2.7mm Head 5hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1167.03	2167.03	3	1168.03	2168.03
5	1167.05	2167.05	5	1168.05	2168.05



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1167V.03 – 1168V.03

Locking Distal Radius Extra Articaular Plate 2.7mm Head 4hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1169.03	2169.03	3	1170.03	2170.03
5	1169.05	2169.05	5	1170.05	2170.05



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1169V.03 – 1170V.03

Small Fragment Locking Plates System

Locking L-Distal Radius Plate2.7mm Head 2hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1171.03	2171.03	3	1172.03	2172.03
4	1171.04	2171.04	4	1172.04	2172.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Locking L-Distal Radius Plate 2.7mm Head 3hole (Left & Right)



Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1173.03	2173.03	3	1174.03	2174.03
4	1173.04	2173.04	4	1174.04	2174.04

Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Locking L-Distal Radius Plate Oblique Angled 2.7mm Head 3hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1175.03	2175.03	3	1176.03	2176.03
4	1175.04	2175.04	4	1176.04	2176.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Small Fragment Locking Plates System

Locking Distal Radius Plate 2.7mm Head 5hole (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1177.03	2177.03	3	1178.03	2178.03
4	1177.04	2177.04	4	1178.04	2178.04
5	1177.05	2177.05	5	1178.05	2178.05

Locking T-Distal Radius Plate 2.7mm Head 3hole

Size (Holes)	Reference Number SS316	TIT
3	1179.03	2179.03
5	1179.04	2179.04



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.4 / 2.7mm Locking Cortex Screw Star Head
Ø 2.7mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1167V.03 – 1168V.03

Locking Pelvic Reconstruction Plate Round Hole 3.5mm

Size (Holes)	Reference Number SS316	TIT
4	1202.04	2202.04
5	1202.05	2202.05
6	1202.06	2202.06
7	1202.07	2202.07
8	1202.08	2202.08
9	1202.09	2202.09
10	1202.10	2202.10
11	1202.11	2202.11
12	1202.12	2202.12
13	1202.13	2202.13
14	1202.14	2202.14
15	1202.15	2202.15
16	1202.16	2202.16
17	1202.17	2202.17
18	1202.18	2202.18
19	1202.19	2202.19
20	1202.20	2202.20

Intended Use : Pelvic / Acetabulum Fixation
Compatible Screws : Ø 3.5mm Locking Screw

Small Fragment Locking Plates System

Locking Posterior Medial Proximal Tibia Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
1	1321.01	2321.01
2	1321.02	2321.02
3	1321.03	2321.03
4	1321.04	2321.04
5	1321.05	2321.05
6	1321.06	2321.06
7	1321.07	2321.07
8	1321.08	2321.08
9	1321.09	2321.09
10	1321.10	2321.10
11	1321.11	2321.11
12	1321.12	2321.12
13	1321.13	2321.13
14	1321.14	2321.14



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1321V.01

Locking Proximal Medial Tibia Plate 3.5mm (Left & Right)



Intended Use : Proximal Midial Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1323.04	2323.04	4	1324.04	2324.04
5	1323.05	2323.05	5	1324.05	2324.05
6	1323.06	2323.06	6	1324.06	2324.06
7	1323.07	2323.07	7	1324.07	2324.07
8	1323.08	2323.08	8	1324.08	2324.08
9	1323.09	2323.09	9	1324.09	2324.09
10	1323.10	2323.10	10	1324.10	2324.10
11	1323.11	2323.11	11	1324.11	2324.11
12	1323.12	2323.12	12	1324.12	2324.12
13	1323.13	2323.13	13	1324.13	2324.13
14	1323.14	2323.13	14	1324.14	2324.14

Note : Variable Angle Version Available
Reference Numbers : 1323V.04 - 1324V.04

Locking Periarticular Proximal Tibia Plate 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1325.04	2325.04	4	1326.04	2326.04
5	1325.05	2325.05	5	1326.05	2326.05
6	1325.06	2325.06	6	1326.06	2326.06
7	1325.07	2325.07	7	1326.07	2326.07
8	1325.08	2325.08	8	1326.08	2326.08
9	1325.09	2325.09	9	1326.09	2326.09
10	1325.10	2325.10	10	1326.10	2326.10
11	1325.11	2325.11	11	1326.11	2326.11
12	1325.12	2325.12	12	1326.12	2326.12
13	1325.13	2325.13	13	1326.13	2326.13
14	1325.14	2325.14	14	1326.14	2326.14



Intended Use : Proximal Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1325V.04 – 1326V.04

Locking Proximal Tibia Plate 3.5mm (Left & Right)



Intended Use : Proximal Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1327.04	2327.04	4	1328.04	2328.04
5	1327.05	2327.05	5	1328.05	2328.05
6	1327.06	2327.06	6	1328.06	2328.06
7	1327.07	2327.07	7	1328.07	2328.07
8	1327.08	2327.08	8	1328.08	2328.08
9	1327.09	2327.09	9	1328.09	2328.09
10	1327.10	2327.10	10	1328.10	2328.10
11	1327.11	2327.11	11	1328.11	2328.11
12	1327.12	2327.12	12	1328.12	2328.12
13	1327.13	2327.13	13	1328.13	2328.13
14	1327.14	2327.14	14	1328.14	2328.14

Note : Variable Angle Version Available
Reference Numbers : 1327V.04 - 1328V.04

Locking Anterolateral Distal Tibia Plate 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1353.03	2353.03	3	1354.03	2354.03
4	1353.04	2353.04	4	1354.04	2354.04
5	1353.05	2353.05	5	1354.05	2354.05
6	1353.06	2353.06	6	1354.06	2354.06
7	1353.07	2353.07	7	1354.07	2354.07
8	1353.08	2353.08	8	1354.08	2354.08
9	1353.09	2353.09	9	1354.09	2354.09
10	1353.10	2353.10	10	1354.10	2354.10
11	1353.11	2353.11	11	1354.11	2354.11
12	1353.12	2353.12	12	1354.12	2354.12
13	1353.13	2353.13	13	1354.13	2354.13
15	1353.15	2353.15	15	1354.15	2354.15



Intended Use : Distal Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1353V.03 – 1354V.03

Locking Distal Medial Tibia Plate With Tab 3.5mm (Left & Right)



Intended Use : Pelvic Bone Fixation
Compatible Screws : Ø 3.5mm Locking Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1355.04	2355.04	4	1356.04	2356.04
5	1355.05	2355.05	5	1356.05	2356.05
6	1355.06	2355.06	6	1356.06	2356.06
7	1355.07	2355.07	7	1356.07	2356.07
8	1355.08	2355.08	8	1356.08	2356.08
9	1355.09	2355.09	9	1356.09	2356.09
10	1355.10	2355.10	10	1356.10	2356.10
11	1355.11	2355.11	11	1356.11	2356.11
12	1355.12	2355.12	12	1356.12	2356.12
13	1355.13	2355.13	13	1356.13	2356.13
14	1355.14	2355.14	14	1356.14	2356.14

Note : Variable Angle Version Available
Reference Numbers : 1325V.04 – 1326V.04

Small Fragment Locking Plates System

Locking Posterior Medial Proximal Tibia Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1357.04	2357.04	4	1358.04	2358.04
5	1357.05	2357.05	5	1358.05	2358.05
6	1357.06	2357.06	6	1358.06	2358.06
7	1357.07	2357.07	7	1358.07	2358.07
8	1357.08	2357.08	8	1358.08	2358.08
9	1357.09	2357.09	9	1358.09	2358.09
10	1357.10	2357.10	10	1358.10	2358.10
11	1357.11	2357.11	11	1358.11	2358.11
12	1357.12	2357.12	12	1358.12	2358.12
13	1357.13	2357.13	13	1358.13	2358.13
14	1357.14	2357.14	14	1358.14	2358.14



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1357V.04 - 1358V.04

Locking Cloverleaf Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
3	1361.03	2361.03
4	1361.04	2361.04
5	1361.05	2361.05
6	1361.06	2361.06
7	1361.07	2361.07
8	1361.08	2361.08
9	1361.09	2361.09
10	1361.10	2361.10



Intended Use : Distal Tibia & Proximal Humerus Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1361V.03

Locking Lateral Distal Fibula Plate 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1371.03	2371.03	3	1372.03	2372.03
4	1371.04	2371.04	4	1372.04	2372.04
5	1371.05	2371.05	5	1372.05	2372.05
6	1371.06	2371.06	6	1372.06	2372.06
7	1371.07	2371.07	7	1372.07	2372.07
8	1371.08	2371.08	8	1372.08	2372.08
9	1371.09	2371.09	9	1372.09	2372.09
10	1371.10	2371.10	10	1372.10	2372.10



Intended Use : Proximal Tibia Fixation
Compatible Screws : Ø 2.4mm - 2.7mm Locking Cortex Screw Star Head
Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1325V.04 – 1326V.04

Locking Proximal Tibia Plate 3.5mm (Left & Right)



Intended Use : Distal Fibula Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
	Right	
3	1373.03	2373.03
4	1373.04	2373.04
5	1373.05	2373.05
6	1373.06	2373.06
7	1373.07	2373.07
8	1373.08	2373.08
9	1373.09	2373.09
10	1373.10	2373.10

Locking Calcaneal Plate 3.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
Small	1375.01	2375.01	Small	1376.01	2376.01
Medium	1375.02	2375.02	Medium	1376.02	2376.02
Large	1375.03	2375.03	Large	1376.03	2376.03



Intended Use : Calcaneal Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw

Note : Variable Angle Version Available
Reference Numbers : 1353V.03 – 1354V.03

Locking One - Third Plate 3.5mm



Intended Use : Ulna, Radius Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
4	1404.04	2404.04
5	1404.05	2404.05
6	1404.06	2404.06
7	1404.07	2404.07
8	1404.08	2404.08
9	1404.09	2404.09
10	1404.10	2404.10
11	1404.11	2404.11
12	1404.12	2404.12

Note : Variable Angle Version Available
Reference Numbers : 1325V.04 – 1326V.04

Small Fragment Locking Plates System

Small Locking Compression Plate (LCP) 3.5mm

Size (Holes)	Reference Number SS316	TIT
4	1406.04	2406.04
5	1406.05	2406.05
6	1406.06	2406.06
7	1406.07	2406.07
8	1406.08	2406.08
9	1406.09	2406.09
10	1406.10	2406.10
11	1406.11	2406.11
12	1406.12	2406.12
13	1406.13	2406.13
14	1406.14	2406.14
15	1406.15	2406.15
16	1406.16	2406.16



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1357V.04 - 1358V.04

Locking Reconstruction Plate 3.5mm



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1409.03	2409.03
4	1409.04	2409.04
5	1409.05	2409.05
6	1409.06	2409.06
7	1409.07	2409.07
8	1409.08	2409.08
9	1409.09	2409.09
10	1409.10	2409.10
11	1409.11	2409.11
12	1409.12	2409.12
13	1409.13	2409.13
14	1409.14	2409.14
15	1409.15	2409.15
16	1409.16	2409.16

Note : Variable Angle Version Available
Reference Numbers : 1361V.03

Locking Reconstruction Round Hole Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
	Left	
3	1410.03	2410.03
4	1410.04	2410.04
5	1410.05	2410.05
6	1410.06	2410.06
7	1410.07	2410.07
8	1410.08	2410.08
9	1410.09	2410.09
10	1410.10	2410.10
11	1410.11	2410.11
12	1410.12	2410.12
13	1410.13	2410.13
14	1410.14	2410.14
15	1410.15	2410.15
16	1410.16	2410.16
17	1410.17	2410.17
18	1410.18	2410.18
19	1410.19	2410.19
20	1410.20	2410.20



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1325V.04 – 1326V.04

Small Fragment Non-Locking Plates System

Small T Plate Right Angled 3.5mm

Size (Holes)	Reference Number SS316	TIT
2	1145.02	2145.02
3	1145.03	2145.03
4	1145.04	2145.04
5	1145.05	2145.05
6	1145.06	2145.06
7	1145.07	2145.07
8	1145.08	2145.08
9	1145.09	2145.09
10	1145.10	2145.10



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 3.5mm Cortical Screw

Small T Plate Oblique Angled 3.5mm



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
2	1146.02	2146.02
3	1146.03	2146.03
4	1146.04	2146.04
5	1146.05	2146.05
6	1146.06	2146.06
7	1146.07	2146.07
8	1146.08	2146.08
9	1146.09	2146.09
10	1146.10	2146.10

Small T Plate, Right Angled Head 4 hole 3.5mm

Size (Holes)	Reference Number SS316	TIT
	Left	
3	1147.03	2147.03
4	1147.04	2147.04
5	1147.05	2147.05
6	1147.06	2147.06
7	1147.07	2147.07
8	1147.08	2147.08



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Small Fragment Non-Locking Plates System

L - Plate 2.7mm Head 2hole (Left & Right)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.7mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1149.02	2149.02	2	1150.02	2150.02
3	1149.03	2149.03	3	1150.03	2150.03
4	1149.04	2149.04	4	1150.04	2150.04

Pelvic Reconstruction Plate 3.5mm

Size (Holes)	Reference Number SS316	TIT
4	1201.04	2201.04
5	1201.05	2201.05
6	1201.06	2201.06
7	1201.07	2201.07
8	1201.08	2201.08
9	1201.09	2201.09
10	1201.10	2201.10
11	1201.11	2201.11
12	1201.12	2201.12
13	1201.13	2201.13
14	1201.14	2201.14
15	1201.15	2201.15
16	1201.16	2201.16
17	1201.17	2201.17
18	1201.18	2201.18
19	1201.19	2201.19
20	1201.20	2201.20



Intended Use : Calcaneal Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw

Locking One - Third Plate 3.5mm



Intended Use : Ulna, Radius Fixation
Compatible Screws : Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1405.03	2405.03
4	1405.04	2405.04
5	1405.05	2405.05
6	1405.06	2405.06
7	1405.07	2405.07
8	1405.08	2405.08
9	1405.09	2405.09
10	1405.10	2405.10
11	1405.11	2405.11
12	1405.12	2405.12

Small Fragment Non-Locking Plates System

Small Dynamic Compression Plate (DCP) 3.5mm

Size (Holes)	Reference Number SS316	TIT
4	1407.04	2407.04
5	1407.05	2407.05
6	1407.06	2407.06
7	1407.07	2407.07
8	1407.08	2407.08
9	1407.09	2407.09
10	1407.10	2407.10
11	1407.11	2407.11
12	1407.12	2407.12
13	1407.13	2407.13
14	1407.14	2407.14
15	1407.15	2407.15
16	1407.16	2407.16



Intended Use : Ulna, Radius Fixation
Compatible Screws : Ø 3.5mm Cortical Screw

Small Limited Contact Dynamic Compression Plate (LC-DCP) 3.5mm



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1408.03	2408.03
4	1408.04	2408.04
5	1408.05	2408.05
6	1408.06	2408.06
7	1408.07	2408.07
8	1408.08	2408.08
9	1408.09	2408.09
10	1408.10	2408.10
11	1408.11	2408.11
12	1408.12	2408.12
13	1408.13	2408.13
14	1408.14	2408.14
15	1408.15	2408.15
16	1408.16	2408.16

Reconstruction Plate Straight 3.5mm (DC hole)

Size (Holes)	Reference Number SS316	TIT
3	1411.03	2411.03
4	1411.04	2411.04
5	1411.05	2411.05
6	1411.06	2411.06
7	1411.07	2411.07
8	1411.08	2411.08
9	1411.09	2411.09
10	1411.10	2411.10
11	1411.11	2411.11
12	1411.12	2411.12
13	1411.13	2411.13
14	1411.14	2411.14
15	1411.15	2411.15
16	1411.16	2411.16
17	1411.17	2411.17
18	1411.18	2411.18
19	1411.19	2411.19
20	1411.20	2411.20



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Small Fragment Non-Locking Plates System

Reconstruction Plate 3.5mm (Round Hole)



Intended Use : Distal Radius Fixation
Compatible Screws : Ø 2.7mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1412.03	2412.03
4	1412.04	2412.04
5	1412.05	2412.05
6	1412.06	2412.06
7	1412.07	2412.07
8	1412.08	2412.08
9	1412.09	2412.09
10	1412.10	2412.10
11	1412.11	2412.11
12	1412.12	2412.12
13	1412.13	2412.13
14	1412.14	2412.14
15	1412.15	2412.15
16	1412.16	2412.16

Large Fragment Locking Plates Systemt

Locking Proximal Femur Plate 4.5/5.0mm Head 3Hole

Size (Holes)	Reference Number SS316	TIT
5	1298.05	2298.05
6	1298.06	2298.06
7	1298.07	2298.07
8	1298.08	2298.08
9	1298.09	2298.09
10	1298.10	2298.10
11	1298.11	2298.11
12	1298.12	2298.12
13	1298.13	2298.13
14	1298.14	2298.14
15	1298.15	2298.15



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 5.0mm Locking Cancellous Screw
Ø 5.0mm Locking Cortex Screw
Ø 5.0mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1298V.05

Locking Proximal Femoral Head Compression Plate 4.5/5.0mm (Left & Right)



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 6.0mm Cannulated Locking Screw
Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1299.02	2299.02	2	1300.02	2300.02
4	1299.04	2299.04	4	1300.04	2300.04
6	1299.06	2299.06	6	1300.06	2300.06
8	1299.08	2299.08	8	1300.08	2300.08
10	1299.10	2299.10	10	1300.10	2300.10
12	1299.12	2299.12	12	1300.12	2300.12
14	1299.14	2299.14	14	1300.14	2300.14

Locking Proximal Femur Plate Head 4hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1301.03	2301.03	3	1302.03	2302.03
4	1301.04	2301.04	4	1302.04	2302.04
5	1301.05	2301.05	5	1302.05	2302.05
6	1301.06	2301.06	6	1302.06	2302.06
7	1301.07	2301.07	7	1302.07	2302.07
8	1301.08	2301.08	8	1302.08	2302.08
9	1301.09	2301.09	9	1302.09	2302.09
10	1301.10	2301.10	10	1302.10	2302.10
11	1301.11	2301.11	11	1302.11	2302.11
12	1301.12	2301.12	12	1302.12	2302.12



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 6.5mm Locking Cancellous Screw
Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Locking Proximal Femur Trochanteric Plate (Left & Right)



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 6.5mm Locking Cancellous Screw
Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1303.02	2303.02	2	1304.02	2304.02
3	1303.03	2303.03	3	1304.03	2304.03
4	1303.04	2303.04	4	1304.04	2304.04
5	1303.05	2303.05	5	1304.05	2304.05
6	1303.06	2303.06	6	1304.06	2304.06
7	1303.07	2303.07	7	1304.07	2304.07
8	1303.08	2303.08	8	1304.08	2304.08
9	1303.09	2303.09	9	1304.09	2304.09
10	1303.10	2303.10	10	1304.10	2304.10
11	1303.11	2303.11	11	1304.11	2304.11
12	1303.12	2303.12	12	1304.12	2304.12
13	1303.13	2303.13	13	1304.13	2304.13
14	1303.14	2303.14	14	1304.14	2304.14
15	1303.15	2303.15	15	1304.15	2304.15
16	1303.16	2303.16	16	1304.16	2304.16

Note : Variable Angle Version Available
Reference Numbers : 1303V.02 - 1304v.02

Locking Distal Femur Plate 4.5/5.0mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
5	1305.05	2305.05	5	1306.05	2306.05
6	1305.06	2305.06	6	1306.06	2306.06
7	1305.07	2305.07	7	1306.07	2306.07
8	1305.08	2305.08	8	1306.08	2306.08
9	1305.09	2305.09	9	1306.09	2306.09
10	1305.10	2305.10	10	1306.10	2306.10
11	1305.11	2305.11	11	1306.11	2306.11
12	1305.12	2305.12	12	1306.12	2306.12
13	1305.13	2305.13	13	1306.13	2306.13
14	1305.14	2305.14	14	1306.14	2306.14
15	1305.15	2305.15	15	1306.15	2306.15
16	1305.16	2305.16	16	1306.16	2306.16



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1305V.05 - 1306v.05

Locking Proximal Femur Cable Plate 4.5/5.0mm (Left & Right)



Intended Use : Femur Hip Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
2	1307.02	2307.02	2	1308.02	2308.02
4	1307.04	2307.04	4	1308.04	2308.04
6	1307.06	2307.06	6	1308.06	2308.06
8	1307.08	2307.08	8	1308.08	2308.08
10	1307.10	2307.10	10	1308.10	2308.10
12	1307.12	2307.12	12	1308.12	2308.12
14	1307.14	2307.14	14	1308.14	2308.14
16	1307.16	2307.16	16	1308.16	2308.16

Large Fragment Locking Plates System

Locking Distal Tibia Reconstruction Plate 4.5/5.0mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1311.04	2311.04	4	1312.04	2312.04
5	1311.05	2311.05	5	1312.05	2312.05
6	1311.06	2311.06	6	1312.06	2312.06
7	1311.07	2311.07	7	1312.07	2312.07
8	1311.08	2311.08	8	1312.08	2312.08
9	1311.09	2311.09	9	1312.09	2312.09
10	1311.10	2311.10	10	1312.10	2312.10
11	1311.11	2311.11	11	1312.11	2312.11
12	1311.12	2311.12	12	1312.12	2312.12
13	1311.13	2311.13	13	1312.13	2312.13
14	1311.14	2311.14	14	1312.14	2312.14
15	1311.15	2311.15	15	1312.15	2312.15



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1311V.04 - 1312v.04

Locking Proximal Tibia Lateral Plate (Left & Right)



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1313.04	2313.04	4	1314.04	2314.04
5	1313.05	2313.05	5	1314.05	2314.05
6	1313.06	2313.06	6	1314.06	2314.06
7	1313.07	2313.07	7	1314.07	2314.07
8	1313.08	2313.08	8	1314.08	2314.08
9	1313.09	2313.09	9	1314.09	2314.09
10	1313.10	2313.10	10	1314.10	2314.10
11	1313.11	2313.11	11	1314.11	2314.11
12	1313.12	2313.12	12	1314.12	2314.12
13	1313.13	2313.13	13	1314.13	2314.13
14	1313.14	2313.14	14	1314.14	2314.14
15	1313.15	2313.15	15	1314.15	2314.15

Note : Variable Angle Version Available
Reference Numbers : 1313V.04 - 1314v.04

Locking Distal Lateral Tibia Reconstruction Plate (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1315.04	2315.04	4	1316.04	2316.04
5	1315.05	2315.05	5	1316.05	2316.05
6	1315.06	2315.06	6	1316.06	2316.06
7	1315.07	2315.07	7	1316.07	2316.07
8	1315.08	2315.08	8	1316.08	2316.08
9	1315.09	2315.09	9	1316.09	2316.09
10	1315.10	2315.10	10	1316.10	2316.10
11	1315.11	2315.11	11	1316.11	2316.11
12	1315.12	2315.12	12	1316.12	2316.12
13	1315.13	2315.13	13	1316.13	2316.13
14	1315.14	2315.14	14	1316.14	2316.14
15	1315.15	2315.15	15	1316.15	2316.15



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Locking Lateral Tibia Plate 4.5/5.0mm (Left & Right)



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1319.03	2319.03	3	1320.03	2320.03
4	1319.04	2319.04	4	1320.04	2320.04
5	1319.05	2319.05	5	1320.05	2320.05
6	1319.06	2319.06	6	1320.06	2320.06
7	1319.07	2319.07	7	1320.07	2320.07
8	1319.08	2319.08	8	1320.08	2320.08
9	1319.09	2319.09	9	1320.09	2320.09
10	1319.10	2319.10	10	1320.10	2320.10
11	1319.11	2319.11	11	1320.11	2320.11
12	1319.12	2319.12	12	1320.12	2320.12
13	1319.13	2319.13	13	1320.13	2320.13
14	1319.14	2319.14	14	1320.14	2320.14
15	1319.15	2319.15	15	1320.15	2320.15
16	1319.16	2319.16	16	1320.16	2320.16

Note : Variable Angle Version Available
Reference Numbers : 1319V.03 - 1320v.03

Locking Proximal Tibia Plate 4.5/5.0mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1329.04	2329.04	4	1330.04	2330.04
5	1329.05	2329.05	5	1330.05	2330.05
6	1329.06	2329.06	6	1330.06	2330.06
7	1329.07	2329.07	7	1330.07	2330.07
8	1329.08	2329.08	8	1330.08	2330.08
9	1329.09	2329.09	9	1330.09	2330.09
10	1329.10	2329.10	10	1330.10	2330.10
11	1329.11	2329.11	11	1330.11	2330.11
12	1329.12	2329.12	12	1330.12	2330.12
13	1329.13	2329.13	13	1330.13	2330.13
14	1329.14	2329.14	14	1330.14	2330.14



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1329V.05 - 1330v.05

Locking L-Buttress Plate 4.5/5.0mm (Left & Right)



Intended Use : Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1331.03	2331.03	3	1332.03	2332.03
4	1331.04	2331.04	4	1332.04	2332.04
5	1331.05	2331.05	5	1332.05	2332.05
6	1331.06	2331.06	6	1332.06	2332.06
7	1331.07	2331.07	7	1332.07	2332.07
8	1331.08	2331.08	8	1332.08	2332.08
9	1331.09	2331.09	9	1332.09	2332.09
10	1331.10	2331.10	10	1332.10	2332.10
11	1331.11	2331.11	11	1332.11	2332.11
12	1331.12	2331.12	12	1332.12	2332.12

Large Fragment Locking Plates System

Locking T-Buttress Plate 4.5/5.0mm

Size (Holes)	Reference Number SS316	TIT
3	1333.03	2333.03
4	1333.04	2333.04
5	1333.05	2333.05
6	1333.06	2333.06
7	1333.07	2333.07
8	1333.08	2333.08
9	1333.09	2333.09
10	1333.10	2333.10
11	1333.11	2333.11
12	1333.12	2333.12



Intended Use : Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1311V.04 - 1312v.04

Locking T- Plate 4.5/5.0mm

Size (Holes)	Reference Number SS316	TIT
3	1334.03	2334.03
4	1334.04	2334.04
5	1334.05	2334.05
6	1334.06	2334.06
7	1334.07	2334.07
8	1334.08	2334.08
9	1334.09	2334.09
10	1334.10	2334.10
11	1334.11	2334.11
12	1334.12	2334.12



Intended Use : Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1313V.04 - 1314v.04

Locking Tomo Fix Plate 4.5mm

Size (Holes)	Reference Number SS316	TIT
4	1341.04	2341.04



Intended Use : Proximal Tibia Osteomies Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Locking L-Buttress Plate (Head 3hole) 4.5/5.0mm (Left & Right)



Intended Use : Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1342.03	2342.03	3	1343.03	2343.03
4	1342.04	2342.04	4	1343.04	2343.04
5	1342.05	2342.05	5	1343.05	2343.05
6	1342.06	2342.06	6	1343.06	2343.06
7	1342.07	2342.07	7	1343.07	2343.07
8	1342.08	2342.08	8	1343.08	2343.08
9	1342.09	2342.09	9	1343.09	2343.09
10	1342.10	2342.10	10	1343.10	2343.10
11	1342.11	2342.11	11	1343.11	2343.11
12	1342.12	2342.12	12	1343.12	2343.12

Locking Proximal Medial Tibia Plate 4.5/5.0mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
4	1344.04	2344.04	4	1345.04	2345.04
5	1344.05	2344.05	5	1345.05	2345.05
6	1344.06	2344.06	6	1345.06	2345.06
7	1344.07	2344.07	7	1345.07	2345.07
8	1344.08	2344.08	8	1345.08	2345.08
9	1344.09	2344.09	9	1345.09	2345.09
10	1344.10	2344.10	10	1345.10	2345.10
11	1344.11	2344.11	11	1345.11	2345.11
12	1344.12	2344.12	12	1345.12	2345.12
13	1344.13	2344.13	13	1345.13	2345.13
14	1344.14	2344.14	14	1345.14	2345.14



Intended Use : Proximal Tibia Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1344V.04 - 1345V.04

Locking Metaphyseal Plate 3.5mm/4.5mm/5.0mm



Intended Use : Distal Tibia Fixation
Compatible Screws : Ø 3.5mm Locking Screw
Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1359.03	2359.03
4	1359.04	2359.04
5	1359.05	2359.05
6	1359.06	2359.06
7	1359.07	2359.07
8	1359.08	2359.08
9	1359.09	2359.09
10	1359.10	2359.10
11	1359.11	2359.11
12	1359.12	2359.12
	1359.13	2359.13

Large Fragment Locking Plates System

Narrow Locking Compression Plate (LCP) 4.5mm/5.0mm

Size (Holes)	Reference Number SS316	TIT
4	1451.04	2451.04
5	1451.05	2451.05
6	1451.06	2451.06
7	1451.07	2451.07
8	1451.08	2451.08
9	1451.09	2451.09
10	1451.10	2451.10
11	1451.11	2451.11
12	1451.12	2451.12
13	1451.13	2451.13
14	1451.14	2451.14
15	1451.15	2451.15
16	1451.16	2451.16



Intended Use : Femur Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 6.5mm Cancellous Screw
Ø 4.5mm Cortical Screw

Broad Locking Compression Plate (LCP) 4.5mm/5.0mm



Intended Use : Femur Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 6.5mm Cancellous Screw
Ø 4.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
4	1454.04	2454.04
5	1454.05	2454.05
6	1454.06	2454.06
7	1454.07	2454.07
8	1454.08	2454.08
9	1454.09	2454.09
10	1454.10	2454.10
11	1454.11	2454.11
12	1454.12	2454.12
13	1454.13	2454.13
14	1454.14	2454.14
15	1454.15	2454.15
16	1454.16	2454.16

Locking Reconstruction Plate 4.5mm/5.0mm

Size (Holes)	Reference Number SS316	TIT
4	1458.04	2458.04
5	1458.05	2458.05
6	1458.06	2458.06
7	1458.07	2458.07
8	1458.08	2458.08
9	1458.09	2458.09
10	1458.10	2458.10
11	1458.11	2458.11
12	1458.12	2458.12
13	1458.13	2458.13
14	1458.14	2458.14
15	1458.15	2458.15
16	1458.16	2458.16



Intended Use : Tibia / Femur Fixation
Compatible Screws : Ø 5.0mm Locking Screw
Ø 4.5mm Cortical Screw

Large Fragment Non-Locking Plates System

Lateral Tibia Head Buttress Plate DC hole (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
5	1317.05	2317.05	5	1318.05	2318.05
7	1317.07	2317.07	7	1318.07	2318.07
9	1317.09	2317.09	9	1318.09	2318.09
11	1317.11	2317.11	11	1318.11	2318.11
13	1317.13	2317.13	13	1318.13	2318.13



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

T-Butress Plate 4.5mm



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
3	1335.03	2335.03
4	1335.04	2335.04
5	1335.05	2335.05
6	1335.06	2335.06
7	1335.07	2335.07
8	1335.08	2335.08
9	1335.09	2335.09
10	1335.10	2335.10
11	1335.11	2335.11
12	1335.12	2335.12

T-Plate 4.5mm

Size (Holes)	Reference Number SS316	TIT
3	1301.03	2301.03
4	1301.04	2301.04
5	1301.05	2301.05
6	1301.06	2301.06
7	1301.07	2301.07
8	1301.08	2301.08
9	1301.09	2301.09
10	1301.10	2301.10
11	1301.11	2301.11
12	1301.12	2301.12



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Large Fragment Non-Locking Plates System

L-Butress Plate 4.5mm (Left & Right)



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1337.03	2337.03	3	1338.03	2338.03
4	1337.04	2337.04	4	1338.04	2338.04
5	1337.05	2337.05	5	1338.05	2338.05
6	1337.06	2337.06	6	1338.06	2338.06
7	1337.07	2337.07	7	1338.07	2338.07
8	1337.08	2337.08	8	1338.08	2338.08
9	1337.09	2337.09	9	1338.09	2338.09
10	1337.10	2337.10	10	1338.10	2338.10
11	1337.11	2337.11	11	1338.11	2338.11
12	1337.12	2337.12	12	1338.12	2338.12

L- Plate 4.5mm (Left & Right)

Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
	Left			Right	
3	1339.03	2339.03	3	1340.03	2340.03
4	1339.04	2339.04	4	1340.04	2340.04
5	1339.05	2339.05	5	1340.05	2340.05
6	1339.06	2339.06	6	1340.06	2340.06
7	1339.07	2339.07	7	1340.07	2340.07
8	1339.08	2339.08	8	1340.08	2340.08
9	1339.09	2339.09	9	1340.09	2340.09
10	1339.10	2339.10	10	1340.10	2340.10
11	1339.11	2339.11	11	1340.11	2340.11
12	1339.12	2339.12	12	1340.12	2340.12



Intended Use : Proximal Humerus Head & Shaft
Compatible Screws : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Note : Variable Angle Version Available
Reference Numbers : 1344V.04 - 1345V.04

Narrow Dynamic Compression Plate (DCP) 4.5mm



Use : Proximal Humerus Head & Shaft
ews : Ø 3.5mm Locking Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
4	1451.04	2451.04
5	1451.05	2451.05
6	1451.06	2451.06
7	1451.07	2451.07
8	1451.08	2451.08
9	1451.09	2451.09
10	1451.10	2451.10
11	1451.11	2451.11
12	1451.12	2451.12
13	1451.13	2451.13
14	1451.14	2451.14
15	1451.15	2451.15
16	1451.16	2451.16

Large Fragment Non-Locking Plates System

Narrow Limited Contact Dynamic Compression Plate (LC-DCP) 4.5mm

Size (Holes)	Reference Number SS316	TIT
3	1453.03	2453.03
4	1453.04	2453.04
5	1453.05	2453.05
6	1453.06	2453.06
7	1453.07	2453.07
8	1453.08	2453.08
9	1453.09	2453.09
10	1453.10	2453.10
11	1453.11	2453.11
12	1453.12	2453.12
13	1453.13	2453.13
14	1453.14	2453.14
15	1453.15	2453.15
16	1453.16	2453.16



Intended Use : Proximal Lateral Tibia Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Broad Dynamic Compression Plate (DCP) 4.5mm



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Size (Holes)	Reference Number SS316	TIT
4	1455.04	2455.04
5	1455.05	2455.05
6	1455.06	2455.06
7	1455.07	2455.07
8	1455.08	2455.08
9	1455.09	2455.09
10	1455.10	2455.10
11	1455.11	2455.11
12	1455.12	2455.12
13	1455.13	2455.13
14	1455.14	2455.14
15	1455.15	2455.15
16	1455.16	2455.16

Broad Limited Contact Dynamic Compression Plate (LC-DCP) 4.5mm

Size (Holes)	Reference Number SS316	TIT
3	1456.03	2456.03
4	1456.04	2456.04
5	1456.05	2456.05
6	1456.06	2456.06
7	1456.07	2456.07
8	1456.08	2456.08
9	1456.09	2456.09
10	1456.10	2456.10
11	1456.11	2456.11
12	1456.12	2456.12
13	1456.13	2456.13
14	1456.14	2456.14
15	1456.15	2456.15
16	1456.16	2456.16



Intended Use : Pelvic or Acetabulum Fixation
Compatible Screws : Ø 3.5 Locking Cortex Screw
Ø 3.5mm Cortical Screw

Locking Screws

2.4mm Locking Cortex Screws Star Head

Length (mm)	Reference Number SS316	TIT
6mm	1486.06	2486.06
8mm	1486.08	2486.08
10mm	1486.10	2486.10
12mm	1486.12	2486.12
14mm	1486.14	2486.14
16mm	1486.16	2486.16
18mm	1486.18	2486.18
20mm	1486.20	2486.20
22mm	1486.22	2486.22
24mm	1486.24	2486.24
26mm	1486.26	2486.26
28mm	1486.28	2486.28
30mm	1486.30	2486.30
32mm	1486.32	2486.32
34mm	1486.34	2486.34
36mm	1486.36	2486.36
38mm	1486.38	2486.38
40mm	1486.40	2486.40



2.4mm Variable Angle Locking Cortex Screws Star Head



Length (mm)	Reference Number SS316	TIT
6mm	1490.06	2490.06
8mm	1490.08	2490.08
10mm	1490.10	2490.10
12mm	1490.12	2490.12
14mm	1490.14	2490.14
16mm	1490.16	2490.16
18mm	1490.18	2490.18
20mm	1490.20	2490.20
22mm	1490.22	2490.22
24mm	1490.24	2490.24
26mm	1490.26	2490.26
28mm	1490.28	2490.28
30mm	1490.30	2490.30
32mm	1490.32	2490.32
34mm	1490.34	2490.34
36mm	1490.36	2490.36
38mm	1490.38	2490.38
40mm	1490.40	2490.40

2.7mm Locking Cortex Screw Star Head



Length (mm)	Reference Number SS316	TIT
6mm	1487.06	2487.06
8mm	1487.08	2487.08
10mm	1487.10	2487.10
12mm	1487.12	2487.12
14mm	1487.14	2487.14
16mm	1487.16	2487.16
18mm	1487.18	2487.18
20mm	1487.20	2487.20
22mm	1487.22	2487.22
24mm	1487.24	2487.24
26mm	1487.26	2487.26
28mm	1487.28	2487.28
30mm	1487.30	2487.30
32mm	1487.32	2487.32
34mm	1487.34	2487.34
36mm	1487.36	2487.36
38mm	1487.38	2487.38
40mm	1487.40	2487.40

2.7mm Variable Angle Locking Cortex Screw Star Head

Length (mm)	Reference Number SS316	TIT
6mm	1491.06	2491.06
8mm	1491.08	2491.08
10mm	1491.10	2491.10
12mm	1491.12	2491.12
14mm	1491.14	2491.14
16mm	1491.16	2491.16
18mm	1491.18	2491.18
20mm	1491.20	2491.20
22mm	1491.22	2491.22
24mm	1491.24	2491.24
26mm	1491.26	2491.26
28mm	1491.28	2491.28
30mm	1491.30	2491.30
32mm	1491.32	2491.32
34mm	1491.34	2491.34
36mm	1491.36	2491.36
38mm	1491.38	2491.38
40mm	1491.40	2491.40



Locking Screws

3.5mm Locking Cortex screw

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
8mm	1484.08	2484.08	45mm	1484.45	2484.45	76mm	1484.76	2484.76
10mm	1484.10	2484.10	46mm	1484.46	2484.46	78mm	1484.78	2484.78
12mm	1484.12	2484.12	48mm	1484.48	2484.48	80mm	1484.80	2484.80
14mm	1484.14	2484.14	50mm	1484.50	2484.50	82mm	1484.82	2484.82
16mm	1484.16	2484.16	52mm	1484.52	2484.52	84mm	1484.84	2484.84
18mm	1484.18	2484.18	54mm	1484.54	2484.54	85mm	1484.85	2484.85
20mm	1484.20	2484.20	55mm	1484.55	2484.55	86mm	1484.86	2484.86
22mm	1484.22	2484.22	56mm	1484.56	2484.56	88mm	1484.88	2484.88
24mm	1484.24	2484.24	58mm	1484.58	2484.58	90mm	1484.90	2484.90
26mm	1484.26	2484.26	60mm	1484.60	2484.60			
28mm	1484.28	2484.28	62mm	1484.62	2484.62			
30mm	1484.30	2484.30	64mm	1484.64	2484.64			
32mm	1484.32	2484.32	65mm	1484.65	2484.65			
34mm	1484.34	2484.34	66mm	1484.66	2484.66			
36mm	1484.36	2484.36	68mm	1484.68	2484.68			
38mm	1484.38	2484.38	70mm	1484.70	2484.70			
40mm	1484.40	2484.40	72mm	1484.72	2484.72			
42mm	1484.42	2484.42	74mm	1484.74	2484.74			
44mm	1484.44	2484.44	75mm	1484.75	2484.75			



3.5mm Locking Cortex Screws Star Head



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
8mm	1488.08	2488.08	45mm	1488.45	2488.45	76mm	1488.76	2488.76
10mm	1488.10	2488.10	46mm	1488.46	2488.46	78mm	1488.78	2488.78
12mm	1488.12	2488.12	48mm	1488.48	2488.48	80mm	1488.80	2488.80
14mm	1488.14	2488.14	50mm	1488.50	2488.50	82mm	1488.82	2488.82
16mm	1488.16	2488.16	52mm	1488.52	2488.52	84mm	1488.84	2488.84
18mm	1488.18	2488.18	54mm	1488.54	2488.54	85mm	1488.85	2488.85
20mm	1488.20	2488.20	55mm	1488.55	2488.55	86mm	1488.86	2488.86
22mm	1488.22	2488.22	56mm	1488.56	2488.56	88mm	1488.88	2488.88
24mm	1488.24	2488.24	58mm	1488.58	2488.58	90mm	1488.90	2488.90
26mm	1488.26	2488.26	60mm	1488.60	2488.60			
28mm	1488.28	2488.28	62mm	1488.62	2488.62			
30mm	1488.30	2488.30	64mm	1488.64	2488.64			
32mm	1488.32	2488.32	65mm	1488.65	2488.65			
34mm	1488.34	2488.34	66mm	1488.66	2488.66			
36mm	1488.36	2488.36	68mm	1488.68	2488.68			
38mm	1488.38	2488.38	70mm	1488.70	2488.70			
40mm	1488.40	2488.40	72mm	1488.72	2488.72			
42mm	1488.42	2488.42	74mm	1488.74	2488.74			
44mm	1488.44	2488.44	75mm	1488.75	2488.75			

3.5mm Variable Angle Locking Cortex Screws Star Head

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
8mm	1492.08	2492.08	45mm	1492.45	2492.45	76mm	1492.76	2492.76
10mm	1492.10	2492.10	46mm	1492.46	2492.46	78mm	1492.78	2492.78
12mm	1492.12	2492.12	48mm	1492.48	2492.48	80mm	1492.80	2492.80
14mm	1492.14	2492.14	50mm	1492.50	2492.50	82mm	1492.82	2492.82
16mm	1492.16	2492.16	52mm	1492.52	2492.52	84mm	1492.84	2492.84
18mm	1492.18	2492.18	54mm	1492.54	2492.54	85mm	1492.85	2492.85
20mm	1492.20	2492.20	55mm	1492.55	2492.55	86mm	1492.86	2492.86
22mm	1492.22	2492.22	56mm	1492.56	2492.56	88mm	1492.88	2492.88
24mm	1492.24	2492.24	58mm	1492.58	2492.58	90mm	1492.90	2492.90
26mm	1492.26	2492.26	60mm	1492.60	2492.60			
28mm	1492.28	2492.28	62mm	1492.62	2492.62			
30mm	1492.30	2492.30	64mm	1492.64	2492.64			
32mm	1492.32	2492.32	65mm	1492.65	2492.65			
34mm	1492.34	2492.34	66mm	1492.66	2492.66			
36mm	1492.36	2492.36	68mm	1492.68	2492.68			
38mm	1492.38	2492.38	70mm	1492.70	2492.70			
40mm	1492.40	2492.40	72mm	1492.72	2492.72			
42mm	1492.42	2492.42	74mm	1492.74	2492.74			
44mm	1492.44	2492.44	75mm	1492.75	2492.75			

New Devlopment Coming Soon

Locking Screws

5.0mm Locking Cortex Screw

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1485.10	2485.10	52mm	1485.52	2485.52	88mm	1485.88	2485.88
12mm	1485.12	2485.12	54mm	1485.54	2485.54	90mm	1485.90	2485.90
14mm	1485.14	2485.14	55mm	1485.55	2485.55	92mm	1485.92	2485.92
16mm	1485.16	2485.16	56mm	1485.56	2485.56	94mm	1485.94	2485.94
18mm	1485.18	2485.18	58mm	1485.58	2485.58	95mm	1485.95	2485.95
20mm	1485.20	2485.20	60mm	1485.60	2485.60	96mm	1485.96	2485.96
22mm	1485.22	2485.22	62mm	1485.62	2485.62	98mm	1485.98	2485.98
24mm	1485.24	2485.24	64mm	1485.64	2485.64	100mm	1485.100	2485.100
26mm	1485.26	2485.26	65mm	1485.65	2485.65	102mm	1485.102	2485.102
28mm	1485.28	2485.28	66mm	1485.66	2485.66	104mm	1485.104	2485.104
30mm	1485.30	2485.30	68mm	1485.68	2485.68	105mm	1485.105	2485.105
32mm	1485.32	2485.32	70mm	1485.70	2485.70	106mm	1485.106	2485.106
34mm	1485.34	2485.34	72mm	1485.72	2485.72	108mm	1485.108	2485.108
36mm	1485.36	2485.36	74mm	1485.74	2485.74	110mm	1485.110	2485.110
38mm	1485.38	2485.38	75mm	1485.75	2485.75	112mm	1485.112	2485.112
40mm	1485.40	2485.40	76mm	1485.76	2485.76	114mm	1485.114	2485.114
42mm	1485.42	2485.42	78mm	1485.78	2485.78	115mm	1485.115	2485.115
44mm	1485.44	2485.44	80mm	1485.80	2485.80	116mm	1485.116	2485.116
45mm	1485.45	2485.45	82mm	1485.82	2485.82	118mm	1485.118	2485.118
46mm	1485.46	2485.46	84mm	1485.84	2485.84	120mm	1485.120	2485.120
48mm	1485.48	2485.48	85mm	1485.85	2485.85			
50mm	1485.50	2485.50	86mm	1485.86	2485.86			



5.0mm Locking Cortex Screw Star Head



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1485.10	2485.10	52mm	1485.52	2485.52	88mm	1485.88	2485.88
12mm	1485.12	2485.12	54mm	1485.54	2485.54	90mm	1485.90	2485.90
14mm	1485.14	2485.14	55mm	1485.55	2485.55	92mm	1485.92	2485.92
16mm	1485.16	2485.16	56mm	1485.56	2485.56	94mm	1485.94	2485.94
18mm	1485.18	2485.18	58mm	1485.58	2485.58	95mm	1485.95	2485.95
20mm	1485.20	2485.20	60mm	1485.60	2485.60	96mm	1485.96	2485.96
22mm	1485.22	2485.22	62mm	1485.62	2485.62	98mm	1485.98	2485.98
24mm	1485.24	2485.24	64mm	1485.64	2485.64	100mm	1485.100	2485.100
26mm	1485.26	2485.26	65mm	1485.65	2485.65	102mm	1485.102	2485.102
28mm	1485.28	2485.28	66mm	1485.66	2485.66	104mm	1485.104	2485.104
30mm	1485.30	2485.30	68mm	1485.68	2485.68	105mm	1485.105	2485.105
32mm	1485.32	2485.32	70mm	1485.70	2485.70	106mm	1485.106	2485.106
34mm	1485.34	2485.34	72mm	1485.72	2485.72	108mm	1485.108	2485.108
36mm	1485.36	2485.36	74mm	1485.74	2485.74	110mm	1485.110	2485.110
38mm	1485.38	2485.38	75mm	1485.75	2485.75	112mm	1485.112	2485.112
40mm	1485.40	2485.40	76mm	1485.76	2485.76	114mm	1485.114	2485.114
42mm	1485.42	2485.42	78mm	1485.78	2485.78	115mm	1485.115	2485.115
44mm	1485.44	2485.44	80mm	1485.80	2485.80	116mm	1485.116	2485.116
45mm	1485.45	2485.45	82mm	1485.82	2485.82	118mm	1485.118	2485.118
46mm	1485.46	2485.46	84mm	1485.84	2485.84	120mm	1485.120	2485.120
48mm	1485.48	2485.48	85mm	1485.85	2485.85			
50mm	1485.50	2485.50	86mm	1485.86	2485.86			

5.0mm Variable Angle Locking Cortex Screw Star Head

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1485.10	2485.10	52mm	1485.52	2485.52	88mm	1485.88	2485.88
12mm	1485.12	2485.12	54mm	1485.54	2485.54	90mm	1485.90	2485.90
14mm	1485.14	2485.14	55mm	1485.55	2485.55	92mm	1485.92	2485.92
16mm	1485.16	2485.16	56mm	1485.56	2485.56	94mm	1485.94	2485.94
18mm	1485.18	2485.18	58mm	1485.58	2485.58	95mm	1485.95	2485.95
20mm	1485.20	2485.20	60mm	1485.60	2485.60	96mm	1485.96	2485.96
22mm	1485.22	2485.22	62mm	1485.62	2485.62	98mm	1485.98	2485.98
24mm	1485.24	2485.24	64mm	1485.64	2485.64	100mm	1485.100	2485.100
26mm	1485.26	2485.26	65mm	1485.65	2485.65	102mm	1485.102	2485.102
28mm	1485.28	2485.28	66mm	1485.66	2485.66	104mm	1485.104	2485.104
30mm	1485.30	2485.30	68mm	1485.68	2485.68	105mm	1485.105	2485.105
32mm	1485.32	2485.32	70mm	1485.70	2485.70	106mm	1485.106	2485.106
34mm	1485.34	2485.34	72mm	1485.72	2485.72	108mm	1485.108	2485.108
36mm	1485.36	2485.36	74mm	1485.74	2485.74	110mm	1485.110	2485.110
38mm	1485.38	2485.38	75mm	1485.75	2485.75	112mm	1485.112	2485.112
40mm	1485.40	2485.40	76mm	1485.76	2485.76	114mm	1485.114	2485.114
42mm	1485.42	2485.42	78mm	1485.78	2485.78	115mm	1485.115	2485.115
44mm	1485.44	2485.44	80mm	1485.80	2485.80	116mm	1485.116	2485.116
45mm	1485.45	2485.45	82mm	1485.82	2485.82	118mm	1485.118	2485.118
46mm	1485.46	2485.46	84mm	1485.84	2485.84	120mm	1485.120	2485.120
48mm	1485.48	2485.48	85mm	1485.85	2485.85			
50mm	1485.50	2485.50	86mm	1485.86	2485.86			

New Devlopment Coming Soon

3.5mm Locking Cancellous Screws (Short Thread)

New Devlopment
Coming Soon

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1507.10	2507.10	38mm	1507.38	2507.38
12mm	1507.12	2507.12	40mm	1507.40	2507.40
14mm	1507.14	2507.14	42mm	1507.42	2507.42
16mm	1507.16	2507.16	44mm	1507.44	2507.44
18mm	1507.18	2507.18	45mm	1507.45	2507.45
20mm	1507.20	2507.20	46mm	1507.46	2507.46
22mm	1507.22	2507.22	48mm	1507.48	2507.48
24mm	1507.24	2507.24	50mm	1507.50	2507.50
26mm	1507.26	2507.26	52mm	1507.52	2507.52
28mm	1507.28	2507.28	54mm	1507.54	2507.54
30mm	1507.30	2507.30	55mm	1507.55	2507.55
32mm	1507.32	2507.32	56mm	1507.56	2507.56
34mm	1507.34	2507.34	58mm	1507.58	2507.58
35mm	1507.35	2507.35	60mm	1507.60	2507.60
36mm	1507.36	2507.36			

3.5mm Variable Angle Locking Cancellous Screw (Short Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1507VA.10	2507VA.10	38mm	1507VA.38	2507VA.38
12mm	1507VA.12	2507VA.12	40mm	1507VA.40	2507VA.40
14mm	1507VA.14	2507VA.14	42mm	1507VA.42	2507VA.42
16mm	1507VA.16	2507VA.16	44mm	1507VA.44	2507VA.44
18mm	1507VA.18	2507VA.18	45mm	1507VA.45	2507VA.45
20mm	1507VA.20	2507VA.20	46mm	1507VA.46	2507VA.46
22mm	1507VA.22	2507VA.22	48mm	1507VA.48	2507VA.48
24mm	1507VA.24	2507VA.24	50mm	1507VA.50	2507VA.50
26mm	1507VA.26	2507VA.26	52mm	1507VA.52	2507VA.52
28mm	1507VA.28	2507VA.28	54mm	1507VA.54	2507VA.54
30mm	1507VA.30	2507VA.30	55mm	1507VA.55	2507VA.55
32mm	1507VA.32	2507VA.32	56mm	1507VA.56	2507VA.56
34mm	1507VA.34	2507VA.34	58mm	1507VA.58	2507VA.58
35mm	1507VA.35	2507VA.35	60mm	1507VA.60	2507VA.60
36mm	1507VA.36	2507VA.36			

New Devlopment
Coming Soon

3.5mm Locking Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000.10	0000.10	38mm	0000.38	0000.38
12mm	0000.12	0000.12	40mm	0000.40	0000.40
14mm	0000.14	0000.14	42mm	0000.42	0000.42
16mm	0000.16	0000.16	44mm	0000.44	0000.44
18mm	0000.18	0000.18	45mm	0000.45	0000.45
20mm	0000.20	0000.20	46mm	0000.46	0000.46
22mm	0000.22	0000.22	48mm	0000.48	0000.48
24mm	0000.24	0000.24	50mm	0000.50	0000.50
26mm	0000.26	0000.26	52mm	0000.52	0000.52
28mm	0000.28	0000.28	54mm	0000.54	0000.54
30mm	0000.30	0000.30	55mm	0000.55	0000.55
32mm	0000.32	0000.32	56mm	0000.56	0000.56
34mm	0000.34	0000.34	58mm	0000.58	0000.58
35mm	0000.35	0000.35	60mm	0000.60	0000.60
36mm	0000.36	0000.36			

Locking Cancellous Screws

3.5mm Variable Angle Locking Cancellous Screw (Full Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000VA.10	0000VA.10	38mm	0000VA.38	0000VA.38
12mm	0000VA.12	0000VA.12	40mm	0000VA.40	0000VA.40
14mm	0000VA.14	0000VA.14	42mm	0000VA.42	0000VA.42
16mm	0000VA.16	0000VA.16	44mm	0000VA.44	0000VA.44
18mm	0000VA.18	0000VA.18	45mm	0000VA.45	0000VA.45
20mm	0000VA.20	0000VA.20	46mm	0000VA.46	0000VA.46
22mm	0000VA.22	0000VA.22	48mm	0000VA.48	0000VA.48
24mm	0000VA.24	0000VA.24	50mm	0000VA.50	0000VA.50
26mm	0000VA.26	0000VA.26	52mm	0000VA.52	0000VA.52
28mm	0000VA.28	0000VA.28	54mm	0000VA.54	0000VA.54
30mm	0000VA.30	0000VA.30	55mm	0000VA.55	0000VA.55
32mm	0000VA.32	0000VA.32	56mm	0000VA.56	0000VA.56
34mm	0000VA.34	0000VA.34	58mm	0000VA.58	0000VA.58
35mm	0000VA.35	0000VA.35	60mm	0000VA.60	0000VA.60
36mm	0000VA.36	0000VA.36			

New Devlopment Coming Soon

4.0mm Locking Cancellous Screws (Short Thread)

New Devlopment Coming Soon

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000.10	0000.10	38mm	0000.38	0000.38
12mm	0000.12	0000.12	40mm	0000.40	0000.40
14mm	0000.14	0000.14	42mm	0000.42	0000.42
16mm	0000.16	0000.16	44mm	0000.44	0000.44
18mm	0000.18	0000.18	45mm	0000.45	0000.45
20mm	0000.20	0000.20	46mm	0000.46	0000.46
22mm	0000.22	0000.22	48mm	0000.48	0000.48
24mm	0000.24	0000.24	50mm	0000.50	0000.50
26mm	0000.26	0000.26	52mm	0000.52	0000.52
28mm	0000.28	0000.28	54mm	0000.54	0000.54
30mm	0000.30	0000.30	55mm	0000.55	0000.55
32mm	0000.32	0000.32	56mm	0000.56	0000.56
34mm	0000.34	0000.34	58mm	0000.58	0000.58
35mm	0000.35	0000.35	60mm	0000.60	0000.60
36mm	0000.36	0000.36			

4.0mm Variable Angle Locking Cancellous Screw (Short Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000VA.10	0000VA.10	38mm	0000VA.38	0000VA.38
12mm	0000VA.12	0000VA.12	40mm	0000VA.40	0000VA.40
14mm	0000VA.14	0000VA.14	42mm	0000VA.42	0000VA.42
16mm	0000VA.16	0000VA.16	44mm	0000VA.44	0000VA.44
18mm	0000VA.18	0000VA.18	45mm	0000VA.45	0000VA.45
20mm	0000VA.20	0000VA.20	46mm	0000VA.46	0000VA.46
22mm	0000VA.22	0000VA.22	48mm	0000VA.48	0000VA.48
24mm	0000VA.24	0000VA.24	50mm	0000VA.50	0000VA.50
26mm	0000VA.26	0000VA.26	52mm	0000VA.52	0000VA.52
28mm	0000VA.28	0000VA.28	54mm	0000VA.54	0000VA.54
30mm	0000VA.30	0000VA.30	55mm	0000VA.55	0000VA.55
32mm	0000VA.32	0000VA.32	56mm	0000VA.56	0000VA.56
34mm	0000VA.34	0000VA.34	58mm	0000VA.58	0000VA.58
35mm	0000VA.35	0000VA.35	60mm	0000VA.60	0000VA.60
36mm	0000VA.36	0000VA.36			

New Devlopment Coming Soon

4.0mm Locking Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000.10	0000.10	38mm	0000.38	0000.38
12mm	0000.12	0000.12	40mm	0000.40	0000.40
14mm	0000.14	0000.14	42mm	0000.42	0000.42
16mm	0000.16	0000.16	44mm	0000.44	0000.44
18mm	0000.18	0000.18	45mm	0000.45	0000.45
20mm	0000.20	0000.20	46mm	0000.46	0000.46
22mm	0000.22	0000.22	48mm	0000.48	0000.48
24mm	0000.24	0000.24	50mm	0000.50	0000.50
26mm	0000.26	0000.26	52mm	0000.52	0000.52
28mm	0000.28	0000.28	54mm	0000.54	0000.54
30mm	0000.30	0000.30	55mm	0000.55	0000.55
32mm	0000.32	0000.32	56mm	0000.56	0000.56
34mm	0000.34	0000.34	58mm	0000.58	0000.58
35mm	0000.35	0000.35	60mm	0000.60	0000.60
36mm	0000.36	0000.36			

4.0mm Variable Angle Locking Cancellous Screw (Full Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	0000VA.10	0000VA.10	38mm	0000VA.38	0000VA.38
12mm	0000VA.12	0000VA.12	40mm	0000VA.40	0000VA.40
14mm	0000VA.14	0000VA.14	42mm	0000VA.42	0000VA.42
16mm	0000VA.16	0000VA.16	44mm	0000VA.44	0000VA.44
18mm	0000VA.18	0000VA.18	45mm	0000VA.45	0000VA.45
20mm	0000VA.20	0000VA.20	46mm	0000VA.46	0000VA.46
22mm	0000VA.22	0000VA.22	48mm	0000VA.48	0000VA.48
24mm	0000VA.24	0000VA.24	50mm	0000VA.50	0000VA.50
26mm	0000VA.26	0000VA.26	52mm	0000VA.52	0000VA.52
28mm	0000VA.28	0000VA.28	54mm	0000VA.54	0000VA.54
30mm	0000VA.30	0000VA.30	55mm	0000VA.55	0000VA.55
32mm	0000VA.32	0000VA.32	56mm	0000VA.56	0000VA.56
34mm	0000VA.34	0000VA.34	58mm	0000VA.58	0000VA.58
35mm	0000VA.35	0000VA.35	60mm	0000VA.60	0000VA.60
36mm	0000VA.36	0000VA.36			

New Devlopment Coming Soon

5.0mm Locking Cancellous Screw (16mm Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	1512.25	2512.25	75mm	1512.75	2512.75
30mm	1512.30	2512.30	80mm	1512.80	2512.80
35mm	1512.35	2512.35	85mm	1512.85	2512.85
40mm	1512.40	2512.40	90mm	1512.90	2512.90
45mm	1512.45	2512.45	95mm	1512.95	2512.95
50mm	1512.50	2512.50	100mm	1512.100	2512.100
55mm	1512.55	2512.55	105mm	1512.105	2512.105
60mm	1512.60	2512.60	110mm	1512.110	2512.110
65mm	1512.65	2512.65	115mm	1512.115	2512.115
70mm	1512.70	2512.70	120mm	1512.120	2512.120

Locking Cancellous Screws

5.0mm Locking Cancellous Screw (32mm Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
40mm	1513.40	2513.40	85mm	1513.85	2513.85
45mm	1513.45	2513.45	90mm	1513.90	2513.90
50mm	1513.50	2513.50	95mm	1513.95	2513.95
55mm	1513.55	2513.55	100mm	1513.100	2513.100
60mm	1513.60	2513.60	105mm	1513.105	2513.105
65mm	1513.65	2513.65	110mm	1513.110	2513.110
70mm	1513.70	2513.70	115mm	1513.115	2513.115
75mm	1513.75	2513.75	120mm	1513.120	2513.120
80mm	1513.80	2513.80			



5.0mm Locking Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	1508.25	2508.25	75mm	1508.75	2508.75
30mm	1508.30	2508.30	80mm	1508.80	2508.80
35mm	1508.35	2508.35	85mm	1508.85	2508.85
40mm	1508.40	2508.40	90mm	1508.90	2508.90
45mm	1508.45	2508.45	95mm	1508.95	2508.95
50mm	1508.50	2508.50	100mm	1508.100	2508.100
55mm	1508.55	2508.55	105mm	1508.105	2508.105
60mm	1508.60	2508.60	110mm	1508.110	2508.110
65mm	1508.65	2508.65	115mm	1508.115	2508.115
70mm	1508.70	2508.70	120mm	1508.120	2508.120

6.5mm Locking Cancellous Screw (16mm Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	1509.25	2509.25	75mm	1509.75	2509.75
30mm	1509.30	2509.30	80mm	1509.80	2509.80
35mm	1509.35	2509.35	85mm	1509.85	2509.85
40mm	1509.40	2509.40	90mm	1509.90	2509.90
45mm	1509.45	2509.45	95mm	1509.95	2509.95
50mm	1509.50	2509.50	100mm	1509.100	2509.100
55mm	1509.55	2509.55	105mm	1509.105	2509.105
60mm	1509.60	2509.60	110mm	1509.110	2509.110
65mm	1509.65	2509.65	115mm	1509.115	2509.115
70mm	1509.70	2509.70	120mm	1509.120	2509.120



6.5mm Locking Cancellous Screw (32mm Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
40mm	1510.40	2510.40	85mm	1510.85	2510.85
45mm	1510.45	2510.45	90mm	1510.90	2510.90
50mm	1510.50	2510.50	95mm	1510.95	2510.95
55mm	1510.55	2510.55	100mm	1510.100	2510.100
60mm	1510.60	2510.60	105mm	1510.105	2510.105
65mm	1510.65	2510.65	110mm	1510.110	2510.110
70mm	1510.70	2510.70	115mm	1510.115	2510.115
75mm	1510.75	2510.75	120mm	1510.120	2510.120
80mm	1510.80	2510.80			

6.5mm Locking Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	1511.25	2511.25	75mm	1511.75	2511.75
30mm	1511.30	2511.30	80mm	1511.80	2511.80
35mm	1511.35	2511.35	85mm	1511.85	2511.85
40mm	1511.40	2511.40	90mm	1511.90	2511.90
45mm	1511.45	2511.45	95mm	1511.95	2511.95
50mm	1511.50	2511.50	100mm	1511.100	2511.100
55mm	1511.55	2511.55	105mm	1511.105	2511.105
60mm	1511.60	2511.60	110mm	1511.110	2511.110
65mm	1511.65	2511.65	115mm	1511.115	2511.115
70mm	1511.70	2511.70	120mm	1511.120	2511.120

Non-Locking Screws

2.4mm Cortical Screws (Self Tapping)

Length (mm)	Reference Number SS316	TIT
6mm	1521.06	2521.06
8mm	1521.08	2521.08
10mm	1521.10	2521.10
12mm	1521.12	2521.12
14mm	1521.14	2521.14
16mm	1521.16	2521.16
18mm	1521.18	2521.18
20mm	1521.20	2521.20
22mm	1521.22	2521.22
24mm	1521.24	2521.24
26mm	1521.26	2521.26
28mm	1521.28	2521.28
30mm	1521.30	2521.30
32mm	1521.32	2521.32
34mm	1521.34	2521.34
36mm	1521.36	2521.36
38mm	1521.38	2521.38
40mm	1521.40	2521.40



2.4mm Cortical Screws Star Head (Self Tapping)



Length (mm)	Reference Number SS316	TIT
6mm	1529.06	2529.06
8mm	1529.08	2529.08
10mm	1529.10	2529.10
12mm	1529.12	2529.12
14mm	1529.14	2529.14
16mm	1529.16	2529.16
18mm	1529.18	2529.18
20mm	1529.20	2529.20
22mm	1529.22	2529.22
24mm	1529.24	2529.24
26mm	1529.26	2529.26
28mm	1529.28	2529.28
30mm	1529.30	2529.30
32mm	1529.32	2529.32
34mm	1529.34	2529.34
36mm	1529.36	2529.36
38mm	1529.38	2529.38
40mm	1529.40	2529.40

2.7mm Cortical Screws Star Head



Length (mm)	Reference Number SS316	TIT
6mm	1520.06	2520.06
8mm	1520.08	2520.08
10mm	1520.10	2520.10
12mm	1520.12	2520.12
14mm	1520.14	2520.14
16mm	1520.16	2520.16
18mm	1520.18	2520.18
20mm	1520.20	2520.20
22mm	1520.22	2520.22
24mm	1520.24	2520.24
26mm	1520.26	2520.26
28mm	1520.28	2520.28
30mm	1520.30	2520.30
32mm	1520.32	2520.32
34mm	1520.34	2520.34
36mm	1520.36	2520.36
38mm	1520.38	2520.38
40mm	1520.40	2520.40

2.7mm Cortical Screws Star Head (Self Tapping)



Length (mm)	Reference Number SS316	TIT
6mm	1527.06	2527.06
8mm	1527.08	2527.08
10mm	1527.10	2527.10
12mm	1527.12	2527.12
14mm	1527.14	2527.14
16mm	1527.16	2527.16
18mm	1527.18	2527.18
20mm	1527.20	2527.20
22mm	1527.22	2527.22
24mm	1527.24	2527.24
26mm	1527.26	2527.26
28mm	1527.28	2527.28
30mm	1527.30	2527.30
32mm	1527.32	2527.32
34mm	1527.34	2527.34
36mm	1527.36	2527.36
38mm	1527.38	2527.38
40mm	1527.40	2527.40

Non-Locking Screws

3.5mm Cortical Screw (Self Tapping)

Length (mm)	Reference Number SS316	TIT	Length (mm)	Reference Number SS316	TIT	Length (mm)	Reference Number SS316	TIT
10mm	1524.10	2524.10	52mm	1524.52	2524.52	88mm	1524.88	2524.88
12mm	1524.12	2524.12	54mm	1524.54	2524.54	90mm	1524.90	2524.90
14mm	1524.14	2524.14	55mm	1524.55	2524.55	92mm	1524.92	2524.92
16mm	1524.16	2524.16	56mm	1524.56	2524.56	94mm	1524.94	2524.94
18mm	1524.18	2524.18	58mm	1524.58	2524.58	95mm	1524.95	2524.95
20mm	1524.20	2524.20	60mm	1524.60	2524.60	96mm	1524.96	2524.96
22mm	1524.22	2524.22	62mm	1524.62	2524.62	98mm	1524.98	2524.98
24mm	1524.24	2524.24	64mm	1524.64	2524.64	100mm	1524.100	2524.100
26mm	1524.26	2524.26	65mm	1524.65	2524.65	102mm	1524.102	2524.102
28mm	1524.28	2524.28	66mm	1524.66	2524.66	104mm	1524.104	2524.104
30mm	1524.30	2524.30	68mm	1524.68	2524.68	105mm	1524.105	2524.105
32mm	1524.32	2524.32	70mm	1524.70	2524.70	106mm	1524.106	2524.106
34mm	1524.34	2524.34	72mm	1524.72	2524.72	108mm	1524.108	2524.108
36mm	1524.36	2524.36	74mm	1524.74	2524.74	110mm	1524.110	2524.110
38mm	1524.38	2524.38	75mm	1524.75	2524.75	112mm	1524.112	2524.112
40mm	1524.40	2524.40	76mm	1524.76	2524.76	114mm	1524.114	2524.114
42mm	1524.42	2524.42	78mm	1524.78	2524.78	115mm	1524.115	2524.115
44mm	1524.44	2524.44	80mm	1524.80	2524.80	116mm	1524.116	2524.116
45mm	1524.45	2524.45	82mm	1524.82	2524.82	118mm	1524.118	2524.118
46mm	1524.46	2524.46	84mm	1524.84	2524.84	120mm	1524.120	2524.120
48mm	1524.48	2524.48	85mm	1524.85	2524.85			
50mm	1524.50	2524.50	86mm	1524.86	2524.86			



3.5mm Cortical Screw Star Head (Self Tapping)



Length (mm)	Reference Number SS316	TIT	Length (mm)	Reference Number SS316	TIT	Length (mm)	Reference Number SS316	TIT
10mm	1528.10	2528.10	52mm	1528.52	2528.52	88mm	1528.88	2528.88
12mm	1528.12	2528.12	54mm	1528.54	2528.54	90mm	1528.90	2528.90
14mm	1528.14	2528.14	55mm	1528.55	2528.55	92mm	1528.92	2528.92
16mm	1528.16	2528.16	56mm	1528.56	2528.56	94mm	1528.94	2528.94
18mm	1528.18	2528.18	58mm	1528.58	2528.58	95mm	1528.95	2528.95
20mm	1528.20	2528.20	60mm	1528.60	2528.60	96mm	1528.96	2528.96
22mm	1528.22	2528.22	62mm	1528.62	2528.62	98mm	1528.98	2528.98
24mm	1528.24	2528.24	64mm	1528.64	2528.64	100mm	1528.100	2528.100
26mm	1528.26	2528.26	65mm	1528.65	2528.65	102mm	1528.102	2528.102
28mm	1528.28	2528.28	66mm	1528.66	2528.66	104mm	1528.104	2528.104
30mm	1528.30	2528.30	68mm	1528.68	2528.68	105mm	1528.105	2528.105
32mm	1528.32	2528.32	70mm	1528.70	2528.70	106mm	1528.106	2528.106
34mm	1528.34	2528.34	72mm	1528.72	2528.72	108mm	1528.108	2528.108
36mm	1528.36	2528.36	74mm	1528.74	2528.74	110mm	1528.110	2528.110
38mm	1528.38	2528.38	75mm	1528.75	2528.75	112mm	1528.112	2528.112
40mm	1528.40	2528.40	76mm	1528.76	2528.76	114mm	1528.114	2528.114
42mm	1528.42	2528.42	78mm	1528.78	2528.78	115mm	1528.115	2528.115
44mm	1528.44	2528.44	80mm	1528.80	2528.80	116mm	1528.116	2528.116
45mm	1528.45	2528.45	82mm	1528.82	2528.82	118mm	1528.118	2528.118
46mm	1528.46	2528.46	84mm	1528.84	2528.84	120mm	1528.120	2528.120
48mm	1528.48	2528.48	85mm	1528.85	2528.85			
50mm	1528.50	2528.50	86mm	1528.86	2528.86			

4.5mm Cortical Screw (Self Tapping)



Length (mm)	Reference Number SS316	TIT	Length (mm)	Reference Number SS316	TIT
10mm	1526.10	2526.10	68mm	1526.68	2526.68
12mm	1526.12	2526.12	70mm	1526.70	2526.70
14mm	1526.14	2526.14	72mm	1526.72	2526.72
16mm	1526.16	2526.16	74mm	1526.74	2526.74
18mm	1526.18	2526.18	75mm	1526.75	2526.75
20mm	1526.20	2526.20	76mm	1526.76	2526.76
22mm	1526.22	2526.22	78mm	1526.78	2526.78
24mm	1526.24	2526.24	80mm	1526.80	2526.80
26mm	1526.26	2526.26	82mm	1526.82	2526.82
28mm	1526.28	2526.28	84mm	1526.84	2526.84
30mm	1526.30	2526.30	85mm	1526.85	2526.85
32mm	1526.32	2526.32	86mm	1526.86	2526.86
34mm	1526.34	2526.34	88mm	1526.88	2526.88
36mm	1526.36	2526.36	90mm	1526.90	2526.90
38mm	1526.38	2526.38	92mm	1526.92	2526.92
40mm	1526.40	2526.40	94mm	1526.94	2526.94
42mm	1526.42	2526.42	95mm	1526.95	2526.95
44mm	1526.44	2526.44	96mm	1526.96	2526.96
45mm	1526.45	2526.45	98mm	1526.98	2526.98
46mm	1526.46	2526.46	100mm	1526.100	2526.100
48mm	1526.48	2526.48	102mm	1526.102	2526.102
50mm	1526.50	2526.50	104mm	1526.104	2526.104
52mm	1526.52	2526.52	105mm	1526.105	2526.105
54mm	1526.54	2526.54	106mm	1526.106	2526.106
55mm	1526.55	2526.55	108mm	1526.108	2526.108
56mm	1526.56	2526.56	110mm	1526.110	2526.110
58mm	1526.58	2526.58	112mm	1526.112	2526.112
60mm	1526.60	2526.60	114mm	1526.114	2526.114
62mm	1526.62	2526.62	115mm	1526.115	2526.115
64mm	1526.64	2526.64	116mm	1526.116	2526.116
65mm	1526.65	2526.65	118mm	1526.118	2526.118
66mm	1526.66	2526.66	120mm	1526.120	2526.120

Cancellous Screws

3.5mm Cancellous Screw (Short Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1535.10	2535.10	38mm	1535.38	2535.38
12mm	1535.12	2535.12	40mm	1535.40	2535.40
14mm	1535.14	2535.14	42mm	1535.42	2535.42
16mm	1535.16	2535.16	44mm	1535.44	2535.44
18mm	1535.18	2535.18	45mm	1535.45	2535.45
20mm	1535.20	2535.20	46mm	1535.46	2535.46
22mm	1535.22	2535.22	48mm	1535.48	2535.48
24mm	1535.24	2535.24	50mm	1535.50	2535.50
26mm	1535.26	2535.26	52mm	1535.52	2535.52
28mm	1535.28	2535.28	54mm	1535.54	2535.54
30mm	1535.30	2535.30	55mm	1535.55	2535.55
32mm	1535.32	2535.32	56mm	1535.56	2535.56
34mm	1535.34	2535.34	58mm	1535.58	2535.58
35mm	1535.35	2535.35	60mm	1535.60	2535.60
36mm	1535.36	2535.36			



3.5mm Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1536.10	2536.10	38mm	1536.38	2536.38
12mm	1536.12	2536.12	40mm	1536.40	2536.40
14mm	1536.14	2536.14	42mm	1536.42	2536.42
16mm	1536.16	2536.16	44mm	1536.44	2536.44
18mm	1536.18	2536.18	45mm	1536.45	2536.45
20mm	1536.20	2536.20	46mm	1536.46	2536.46
22mm	1536.22	2536.22	48mm	1536.48	2536.48
24mm	1536.24	2536.24	50mm	1536.50	2536.50
26mm	1536.26	2536.26	52mm	1536.52	2536.52
28mm	1536.28	2536.28	54mm	1536.54	2536.54
30mm	1536.30	2536.30	55mm	1536.55	2536.55
32mm	1536.32	2536.32	56mm	1536.56	2536.56
34mm	1536.34	2536.34	58mm	1536.58	2536.58
35mm	1536.35	2536.35	60mm	1536.60	2536.60
36mm	1536.36	2536.36			

4.0mm Cancellous Screw (Short Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1537.10	2537.10	38mm	1537.38	2537.38
12mm	1537.12	2537.12	40mm	1537.40	2537.40
14mm	1537.14	2537.14	42mm	1537.42	2537.42
16mm	1537.16	2537.16	44mm	1537.44	2537.44
18mm	1537.18	2537.18	45mm	1537.45	2537.45
20mm	1537.20	2537.20	46mm	1537.46	2537.46
22mm	1537.22	2537.22	48mm	1537.48	2537.48
24mm	1537.24	2537.24	50mm	1537.50	2537.50
26mm	1537.26	2537.26	52mm	1537.52	2537.52
28mm	1537.28	2537.28	54mm	1537.54	2537.54
30mm	1537.30	2537.30	55mm	1537.55	2537.55
32mm	1537.32	2537.32	56mm	1537.56	2537.56
34mm	1537.34	2537.34	58mm	1537.58	2537.58
35mm	1537.35	2537.35	60mm	1537.60	2537.60
36mm	1537.36	2537.36			



4.0mm Cancellous Screw (Fully Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
10mm	1535.10	2535.10	38mm	1535.38	2535.38
12mm	1535.12	2535.12	40mm	1535.40	2535.40
14mm	1535.14	2535.14	42mm	1535.42	2535.42
16mm	1535.16	2535.16	44mm	1535.44	2535.44
18mm	1535.18	2535.18	45mm	1535.45	2535.45
20mm	1535.20	2535.20	46mm	1535.46	2535.46
22mm	1535.22	2535.22	48mm	1535.48	2535.48
24mm	1535.24	2535.24	50mm	1535.50	2535.50
26mm	1535.26	2535.26	52mm	1535.52	2535.52
28mm	1535.28	2535.28	54mm	1535.54	2535.54
30mm	1535.30	2535.30	55mm	1535.55	2535.55
32mm	1535.32	2535.32	56mm	1535.56	2535.56
34mm	1535.34	2535.34	58mm	1535.58	2535.58
35mm	1535.35	2535.35	60mm	1535.60	2535.60
36mm	1535.36	2535.36			

5.0mm Cancellous Screw (16mm Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	0000.25	0000.25	75mm	0000.75	0000.75
30mm	0000.30	0000.30	80mm	0000.80	0000.80
35mm	0000.35	0000.35	85mm	0000.85	0000.85
40mm	0000.40	0000.40	90mm	0000.90	0000.90
45mm	0000.45	0000.45	95mm	0000.95	0000.95
50mm	0000.50	0000.50	100mm	0000.100	0000.100
55mm	0000.55	0000.55	105mm	0000.105	0000.105
60mm	0000.60	0000.60	110mm	0000.110	0000.110
65mm	0000.65	0000.65	115mm	0000.115	0000.115
70mm	0000.70	0000.70	120mm	0000.120	0000.120

5.0mm Cancellous Screw (32mm Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	0000.25	0000.25	75mm	0000.75	0000.75
30mm	0000.30	0000.30	80mm	0000.80	0000.80
35mm	0000.35	0000.35	85mm	0000.85	0000.85
40mm	0000.40	0000.40	90mm	0000.90	0000.90
45mm	0000.45	0000.45	95mm	0000.95	0000.95
50mm	0000.50	0000.50	100mm	0000.100	0000.100
55mm	0000.55	0000.55	105mm	0000.105	0000.105
60mm	0000.60	0000.60	110mm	0000.110	0000.110
65mm	0000.65	0000.65	115mm	0000.115	0000.115
70mm	0000.70	0000.70	120mm	0000.120	0000.120

Cancellous Screws

5.0mm Cancellous Screw (Full Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	0000.25	0000.25	75mm	0000.75	0000.75
30mm	0000.30	0000.30	80mm	0000.80	0000.80
35mm	0000.35	0000.35	85mm	0000.85	0000.85
40mm	0000.40	0000.40	90mm	0000.90	0000.90
45mm	0000.45	0000.45	95mm	0000.95	0000.95
50mm	0000.50	0000.50	100mm	0000.100	0000.100
55mm	0000.55	0000.55	105mm	0000.105	0000.105
60mm	0000.60	0000.60	110mm	0000.110	0000.110
65mm	0000.65	0000.65	115mm	0000.115	0000.115
70mm	0000.70	0000.70	120mm	0000.120	0000.120



6.5mm Cancellous Screw (16mm Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
25mm	1539.25	2539.25	75mm	1539.75	2539.75
30mm	1539.30	2539.30	80mm	1539.80	2539.80
35mm	1539.35	2539.35	85mm	1539.85	2539.85
40mm	1539.40	2539.40	90mm	1539.90	2539.90
45mm	1539.45	2539.45	95mm	1539.95	2539.95
50mm	1539.50	2539.50	100mm	1539.100	2539.100
55mm	1539.55	2539.55	105mm	1539.105	2539.105
60mm	1539.60	2539.60	110mm	1539.110	2539.110
65mm	1539.65	2539.65	115mm	1539.115	2539.115
70mm	1539.70	2539.70	120mm	1539.120	2539.120

6.5mm Cancellous Screw (32mm Thread)

Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
40mm	1540.40	2540.40	85mm	1540.85	2540.85
45mm	1540.45	2540.45	90mm	1540.90	2540.90
50mm	1540.50	2540.50	95mm	1540.95	2540.95
55mm	1540.55	2540.55	100mm	1540.100	2540.100
60mm	1540.60	2540.60	105mm	1540.105	2540.105
65mm	1540.65	2540.65	110mm	1540.110	2540.110
70mm	1540.70	2540.70	115mm	1540.115	2540.115
75mm	1540.75	2540.75	120mm	1540.120	2540.120
80mm	1540.80	2540.80			



6.5mm Cancellous Screw (Full Thread)



Length (mm)	Reference Number SS316	TIT	Size (Holes)	Reference Number SS316	TIT
20mm	1541.20	2541.20	70mm	1541.75	2541.75
25mm	1541.25	2541.25	75mm	1541.80	2541.80
30mm	1541.30	2541.30	80mm	1541.85	2541.85
35mm	1541.35	2541.35	85mm	1541.90	2541.90
40mm	1541.40	2541.40	90mm	1541.95	2541.95
45mm	1541.45	2541.45	95mm	1541.100	2541.100
50mm	1541.50	2541.50	100mm	1541.105	2541.105
55mm	1541.55	2541.55	105mm	1541.110	2541.110
60mm	1541.60	2541.60	110mm	1541.115	2541.115
65mm	1541.65	2541.65	115mm	1541.120	2541.120
70mm	1541.70	2541.70	120mm		

3.5mm Malleolar Screw



Length (mm)	Reference Number SS316	TIT
20mm	1496.20	2496.20
22mm	1496.22	2496.22
24mm	1496.24	2496.24
25mm	1496.25	2496.25
26mm	1496.26	2496.26
28mm	1496.28	2496.28
30mm	1496.30	2496.30
32mm	1496.32	2496.32
34mm	1496.34	2496.34
35mm	1496.35	2496.35
36mm	1496.36	2496.36
38mm	1496.38	2496.38
40mm	1496.40	2496.40
45mm	1496.45	2496.45
50mm	1496.50	2496.50
55mm	1496.55	2496.55
60mm	1496.60	2496.60
65mm	1496.65	2496.65
70mm	1496.70	2496.70
75mm	1496.75	2496.75
80mm	1496.80	2496.80
85mm	1496.85	2496.85
90mm	1496.90	2496.90
95mm	1496.95	2496.95
100mm	1496.100	2496.100
105mm	1496.105	2496.105
110mm	1496.110	2496.110

4.5mm Malleolar Screw



Length (mm)	Reference Number SS316	TIT
20mm	1497.20	2497.20
22mm	1497.22	2497.22
24mm	1497.24	2497.24
25mm	1497.25	2497.25
26mm	1497.26	2497.26
28mm	1497.28	2497.28
30mm	1497.30	2497.30
32mm	1497.32	2497.32
34mm	1497.34	2497.34
35mm	1497.35	2497.35
36mm	1497.36	2497.36
38mm	1497.38	2497.38
40mm	1497.40	2497.40
45mm	1497.45	2497.45
50mm	1497.50	2497.50
55mm	1497.55	2497.55
60mm	1497.60	2497.60
65mm	1497.65	2497.65
70mm	1497.70	2497.70
75mm	1497.75	2497.75
80mm	1497.80	2497.80
85mm	1497.85	2497.85
90mm	1497.90	2497.90
95mm	1497.95	2497.95
100mm	1497.100	2497.100
105mm	1497.105	2497.105
110mm	1497.110	2497.110

Instrument Set

2.4 / 2.7mm Distal Radius Plate System Instrument Set in Graphic Case









Code No.	Instruments Name
5001	Drill Bits 1.8mm x 130mm For Quick Coupling
5002	Drill Bits 2.0mm x 145mm For Quick Coupling
5007	Quick Coupling T Handle
5008	Tap 2.7mm Cortical Screw For Quick Coupling
5012	Tap 2.4mm Locking Screw For Quick Coupling
5013	Tap 2.7mm Locking Screw For Quick Coupling
5021	Drill Sleeve For Locking Comperssion Plate 2.7mm,For Drill Bits 1.8mm
5023	LCP Drill Sleeve For variable angle Plate 2.4mm, For Drill Bits 1.8mm
5024	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm
5027	Small Hexagonal Screw Driver 2.5mm Tip
5029	Small Screw Driver T08 Tip
5030	Bending Iron Small For Plate 2.7mm And 3.5mm
5034	Self-Centering Bone Holding Forceps Length 144mm
5035	Reduction Forceps Serrated Jaws Length 146mm
5036	Reduction Forceps With Points Length 126mm
5042	Limit Screw Driver Handle without shaft for 2.4/2.7mm screws
5044	Shaft for Hexagonal Screw Driver 2.5mm Tip
5045	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws

2.7 / 3.5mm Small fragment Instrument Set in Graphic Case









Code No.	Instruments Name
5001	Drill Bits 1.8mm x 130mm For Quick Coupling
5002	Drill Bits 2.0mm x 145mm For Quick Coupling
5004	Drill Bits 2.5mm x 165mm For Quick Coupling
5006	Drill Bits 2.8mm x 165mm For Quick Coupling
5007	Quick Coupling T Handle
5008	Tap 2.7mm Cortical Screw For Quick Coupling
5009	Tap 3.5mm Cortical Screw 20TPI For Quick Coupling
5010	Tap 3.5mm Cancellous Screw For Quick Coupling
5011	Tap 4.0mm Cancellous Screw For Quick Coupling
5012	Tap 2.4mm Locking Screw For Quick Coupling
5013	Tap 2.7mm Locking Screw For Quick Coupling
5014	Tap 3.5mm Locking Screw For Quick Coupling
5015	Counter Sink Shaft For 3.5mm
5019	Drill And Tap Sleeve 3.5/2.5mm
5020	DCP Drill Sleeve 3.5mm for use 2.5mm Drill
5021	Drill Sleeve For Locking Comperssion Plate 2.7mm,For Drill Bits 1.8mm
5022	Drill Sleeve For Locking Comperssion Plate 3.5mm,For Drill Bits 2.8mm
5023	LCP Drill Sleeve For variable angle plate 2.4mm, For Drill Bits 1.8mm

Code No.	Instruments Name
5024	Depth Guage For 2.4mm To 2.7mm Screw Length 60mm
5025	Depth Guage For 3.5mm To 4.0mm Screw Length 80mm
5027	Small Hexagonal Screw Driver 2.5mm Tip
5028	Small Hexagonal Screw Driver With Holding Sleeve 2.5mm Tip
5029	Small Screw Driver T08 Tip
5030	Bending Iron Small For Plate 2.7mm And 3.5mm
5031	Sharp Hook
5034	Self-Centering Bone Holding Forceps Length 144mm
5035	Reduction Forceps Serrated Jaws Length 146mm
5036	Reduction Forceps With Points Length 126mm
5037	Retractor Small 8mm Wide
5038	Retractor Small 15mm Wide
5039	Periosteal Elevator Curved Blade 6mm wide
5041	Limit Screw Driver handle without shaft for 3.5/4.0mm screws
5042	Limit Screw Driver handle without shaft for 2.4/2.7mm screws
5044	Shaft for Hexagonal Screw Driver 2.5mm Tip
5045	Shaft for Star Screw Driver T08 Tip for 2.4/2.7mm screws

Instrument Set

4.5 / 5.0mm Large Fragment Instrument Set in Graphic Case









Code No.	Instruments Name
5090	Drill Bits 3.2mm length 195mm for quick coupling
5091	Drill Bits 3.5mm length 195mm for quick coupling
5092	Drill Bits 4.3mm length 225mm for quick coupling
5093	Drill Bits 4.5mm length 225mm for quick coupling
5007	Quick Coupling T handle
5095	Tap For 4.5mm Cortex Screw for Quick Coupling
5096	Tap For 6.5mm LCP Cancellous Screw for quick coupling
5097	Tap for 5.0mm LCP Cancellous screw for quick coupling
5098	Tap 5.0mm LCP Locking screw For quick coupling
5099	Counter Sink For 4.5mm
5100	Drill and Tap Sleeve 4.5/3.2mm
5101	Drill and Tap Sleeve 6.5/3.2mm
5102	DCP Drill Sleeve 4.5mm for use 3.2mm Drill

Code No.	Instruments Name
5103	Drill Sleeve For Locking Compession Plate 4.5mm for Drill Bits 4.3
5105	Depth Gauge For 4.5mm To 6.5mm Screw Length 90mm
5106	Screw Forceps Self - Holding 8"
5107	Large Hexagonal Screw Driver 3.5mm Tip
5031	Sharp Hook
5110	Retractor Small 18mm Wide
5111	Retractor Small 24mm Wide
5112	Self Centering Bone Holding Forceps Length 277mm
5113	Reduction Forceps Serrated Jaws length 255mm
5114	Self Centering Bone Holding Forceps Length 277mm
5117	LCP Plate Holder Length 120mm for 4.5mm Plate
5119	Limits Screw Driver Hendle without Shaft for 5.0/6.5mm Screws
5120	Shaft for Hexagonal Screw Driver 3.5mm Tip for 5.0/6.5mm Screw

Transforming Lives or A Better Future!

Contact Us.....

HEAD OFFICE
908 & 909, RK Prime, Next to
Silver Heights, 150 ft Ring Road,
Rajkot – 360005.

MUMBAI OFFICE
Pranik Chamber, A-wing,
5th Floor- 501, Sakinaka, Andheri
East, Mumbai – 400072.

FACTORY
Survey No. 275, Plot No. B/1 Galaxy
Industrial Estate, B/H Tulsi Metal,
Shapar (Veraval) 360024, Gujarat, India.



info@newagemedisys.com
ventas@newagemedisys.com
+91 63555 39998

© Newage Medisys Ltd. Small and Large Fragment Plate System